Still Screens

PRICE LIST Effective November 01, 2024 Updated November 06, 2024

stylex

General Information

GENERAL INFORMATION

Terms

Net 30 days from date of invoice, F. O. B . Delanco, New Jersey.

Damaged Shipments

All Stylex products are carefully inspected before they are packed in sturdy cartons designed to satisfy shipping requirements. Stylex is not responsible for damage in shipment. The transportation company assumes responsibility for delivering products to you in good condition when the bill of lading is signed. You protect yourself by refusing shipments showing damage or shortage until transportation company has noted on the delivery sheet the extent of damage or shortage. Concealed damage should be reported to the carrier as soon as discovered, but no later than 5 days after receiving shipment.

Return/Restocking Policy

Return shipments will not be accepted unless specifically authorized by Stylex in writing. The Return Authorization number should be clearly marked on the carton. The customer returning Stylex products is responsible for return shipping costs. Merchandise must be returned unused. Returned merchandise is subject to a 35% restocking fee.

Special Products

Modifications to standard products will be considered for large runs. Contact factory for price quotations.

Design Changes

In keeping with modern manufacturing advances, Stylex reserves the right to incorporate minor modifications and design changes in products without notice.

Cancellation/Change Order Policy

Regarding requests for order cancellation and/or order modification, please be advised that no charges will be applied before production, unless inventory has been specifically requisitioned to fulfill your order. Once orders proceed to the production phase, they cannot be altered or canceled under any circumstances. All requests for order cancellations or order changes must be submitted in writing and will only be considered valid upon approval by Stylex.

WARRANTY

Except as provided below, Stylex warrants exclusively to the original Purchaser of our product that all parts, under normal use and service, will be free from defects in workmanship and material for a period of ten (10) years from the date of purchase. "Normal use and service" means that the product will be used in a typical office environment for 40-45 hours per week.

This warranty is subject to the following limitations, exclusions and provisions:

Limitations involving materials and components:

Wood components of plywood stacking chairs (such as Brooks and Welcome) 5 years

Upholstery

(including mesh used for Click, F4, Insight, and Zephyr Mesh) 3 years

SAVA Mesh

10 years

Pneumatic Cylinders 3 years

COM Upholstery

No warranty

Stylex makes every effort to ensure that the COM Upholstery it approves is suitable for the intended use. Nevertheless, we will not warrant, and assume no responsibility for, the durability or tailoring quality of any COM or COL. If you have any concerns about the ultimate appearance of any covering, please order an upholstered sample.

Painted Stack Chair Frames

No Warranty

We will not warrant the finish of painted stack chair frames against damage from stacking. Please order chrome frames for chairs that will be stacked.

Felt Glides

No warranty

Due to the different surfaces on which felt glides may be used, we cannot warrant their durability over time.

If this product fails during normal use and service within the applicable warranty period (other than through normal wear and tear), please submit a warranty claim at stylexdesign.com/warranty-claim/. Quantity, model details, description of issue, and Stylex certified labels are required for submission. PLEASE DO NOT RETURN PARTS OR THE PRODUCT TO STYLEX UNLESS INSTRUCTED TO DO SO BY STYLEX. Stylex will, at its discretion, either repair or replace the defective product or part at no cost. Labor requests must receive approval and will be authorized on a case-bycase basis. We will only reimburse for labor costs directly incurred, excluding any travel-related expenses. Purchaser may be required (at the option of Stylex) to return to Stylex at Purchaser's expense any defective part with all freight or shipping charges prepaid. The foregoing warranty shall be void if the product has been altered or repaired (other than by Stylex). The warranty does not cover damage to the product caused by accident, neglect, misuse, abuse, modification to the product by anyone other than Stylex or damage caused by use of the product for a purpose other than that for which it was designed. This warranty extends only to the original Purchaser of the product.

No Other Warranties

This warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. The rights and remedies provided herein are the exclusive rights and remedies of the original purchaser of the product.

No Liability For Damages

In no event shall Stylex or its suppliers be responsible or liable for any special, indirect, consequential, or incidental damages. In no event shall the liability of Stylex exceed the actual purchase price paid to Stylex for the product.

Out of Warranty Products

For all products no longer covered by our warranty, please refer to our Design for Durability and Upgradability Policy. Contact your Account Manager if you would like to purchase any replaceable components to further extend the life of any Stylex seating product. This warranty applies to all Stylex products purchased on April 13, 2018, and thereafter.

STYLEX PRICE LIST

PRODUCT TAKE BACK PROGRAM

FREIGHT PROGRAM

In order to be good stewards of our products, Stylex offers a pathway towards a Product Take Back Program as a more viable solution to the end of our products' originally intended life.

Stylex supports the sustainable programs of ANEW and offers their added value to our clients through a comprehensive take-back solution for surplus office furniture and materials of any kind, in any condition. AN EW is a 501(c)(3) non-profit organization that exists to provide companies with smart, cost effective alternatives for their surplus furniture and other items with the priority of matching it to non-profits, public agencies and the underserved, within the local community of the project site. Corporate Social Responsibility is raised while the impact on the environment is lowered by diverting products and materials otherwise destined for landfill.

Stylex is proud to offer ANEW to customers dedicated to strengthening their community network by repurposing their furniture, fixtures and architectural materials to those in need. In 2014, Stylex committed to making this relationship a part of our strategic sales strategy. Visit www.anewfound.org to find out more.

To initiate a Product Take Back strategy through ANEW, contact Stylex Account Management at 800-257-5742.

For other end of life recovery options, please see our Product Disassembly Instructions and End of Life Recovery Options documents available on our website in the resources section of each product in our line.

net product price and added to the invoice at the time of shipment. The continental United States has been divided into three zones. Please use the map below to determine
•
into three zones. Please use the map below to determine
freight charges for the product's destination. Minimum
freight charge is \$250. Please let us know if you will be
shipping to a residential address or require inside delivery
as this requires an additional fee. Also please note we need
to be made aware if a liftgate is required prior to delivery.
If any requests are made at the time of delivery, applicable
charges will apply.

OR ID WY NV UT CO AZ NM	ND SD MN NE IA NC OK AR MS AL GA FL VT NH ME NY MA NY CT RI MA MA NY CT RI MA MA SD CT RI MA MA MA MA MA MA MA MA MA MA
Zone 1 - 4% Zone 2 - 5% Zone 3 - 6%	

ZONE 1 - 4%	ZONE 2 - 5%	ZONE
Connecticut	Alabama	Arizona
Delaware	Arkansas	Califorr
New York	Canada, Ontario	Colorad
New Jersey	Canada, Quebec	Idaho
Maryland	Florida	Montar
Massachusetts	Georgia	Nevada
North Carolina	lowa	New M
Ohio	Illinois	North D
Pennsylvania	Indiana	Oregor
Rhode Island	Kansas	South [
Virginia	Kentucky	Utah
Washington D.C.	Louisiana	Washin
West Virginia	Nebraska	Wyomi
	New Hampshire	
	Oklahoma	Quote l
	Maine	Alaska
	Michigan	Hawaii
	Minnesota	Canada
	Missouri	(outside
	Mississippi	& Queb
	South Carolina	Mexico
	Tennessee	
	Texas	

Vermont

Wisconsin

ZONE 3 - 6%

าอ rnia ado

na la lexico Dakota n Dakota

ngton ing

Per Project

de Ontario bec)

General Information

TEXTILE PARTNERS & APPROVALS

Textile Partners

To customize your furniture performance needs and design vision, Stylex offers a wide selection of in-graded leathers and textiles from Grades A through Y. We've partnered with leading manufacturers on the options, focusing on color, price, durability, and construction. To view our partners and explore our digital carded program with broadly approved textiles, visit **this page**. We stand by these textiles: They're tried and tested, and will effortlessly fit into any design aesthetic.

Textile Approvals

All textiles must be approved for the product you are specifying. For the related approved textile lists, visit this page.

CAL 117 AND 133 COMPLIANCE

CAL 117-2013

CAL 117-2013 compliance is a requirement for all textiles applied on our seating products. All Stylex seating products meet this standard.

CAL 133

Most Stylex seating can be ordered to meet the requirements of CAL 133. When ordering, simply specify "CAL 133 compliance required". The upcharge for this option is \$54 list per yard. Please refer to the COM yardage of each model to determine the number of yards required. We do frequently require full-scale burn tests in order to certify CAL 133 before an order will be accepted. Such burn tests may increase normal lead times and do carry additional charges. Please contact your Stylex account manager for details.

CUSTOMER'S OWN MATERIAL/LEATHER

Customer's own material (COM) and customer's own leather (COL) will generally be upholstered at the price designated in each product's price list. Please be advised, however, that we specifically reserve the right to charge a higher price when we determine that special circumstances, such as unusual repeats or challenging materials, present themselves. All orders for custom coverings must be approved by Stylex before they will be accepted for production. To submit proposed textile for approval, please use the COM form here.

Special Note:

We assume no responsibility for the durability or tailoring quality of any COM or COL. Directional covers in particular may not meet your satisfaction due to the design of certain products. Please be advised that COM and COL orders are not subject to return. If you have doubts about the ultimate appearance of certain coverings, please order a sample done with that specific COM or COL. In addition, while we inspect fabrics for mill imperfections, some are difficult to recognize. We cannot be responsible for defects, color inaccuracies, dye lot variations, or other flaws.

Under no circumstances will we be responsible for COM shortages, flaws, or other such problems. Finally, it is not our responsibility to police the receipt of COM's in order to meet delivery deadlines, and we assume our customers are aware of any undue delay in the shipment of their COM fabrics.

COM fabric and COL leather should be sent prepaid to: Stylex

Attn: COM/COL - [Your Stylex PO #] 740 Coopertown Road Delanco, NJ 08075

All COM/COL sent to Stylex must be accompanied with a packing list which indicates the dealers' name, Stylex corresponding PO number, sales order number, COM/COL supplier name, textile pattern, colorway and shipped quantity. Stylex requires COM to be sent in as continuous yardage in the same dielot.

Yardage requirements shown in the price list are based on non-directional goods of 54" width. Fabrics less than 54" wide or those requiring matching (stripes, prints, or large patterned designs) call for additional yardage. We will be happy to supply yardage requirements for large quantities where economies may be realized.

with repeats:

Fabric Width	Plain Fabric	2-14" Repeat	15-24" Repeat	25-27" Repeat	28-36" Repeat
54"	0%	10%	15%	20%	25%
50"	10%	20%	25%	30%	35%
48"	15%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

STYLEX PRICE LIST

Add the following yardage for stripes, plaids, or patterns

COM/COL FORM

To avoid delay in processing COM orders we request that you submit a sample of your COM textile stapled to this form which can be downloaded **here**. If a textile has a stripe or design, the size of the repeat should be indicated. Please indicate the textile supplier's name, textile number, and color. Also indicate the Stylex product on which the textile will be used. If a certain direction of application is required, please ensure that information is communicated directly to your Stylex account manager.

The fabric supplier must indicate on his shipping labels the dealer name and purchase order number as well as the Stylex model number.

Please Note:

No order may be entered into production or have a shipping date assigned until all related COM is received at the factory.



CENTER OF STRIPE OR DESIGN

TOP OF CHAIR	TOP OF CHAIR

1. Size of Repeat


2. Textile Supplier

3. Textile Number

4. Color

5. Stylex Product





COLORS, MATERIALS, AND FINISHES

STATEMENT OF LINE

DIMENSIONS

LAYOUT RULES

POWER

CLICK THE TITLES ABOVE TO NAVIGATE THROUGH THE DOCUMENT PRODUCT HEADERS ON SUBSEQUENT PAGES LINK BACK TO THIS PAGE




Contents

5	HOW TO ORDER	15
6	UPHOLSTERED SCREENS	17
7	WOOD SCREENS	27
8	BASEPLATES AND ACCESSORIES	31
11		



POWDER COATED METAL





SOLID WOOD



NATURAL MAPLE

(SW83)



OAK (SW81)




(SW85)



OPAQUE BLACK (SW87)





PRODUCT INFORMATION

Design Fig40

Screens

Upholstered screens are constructed with an internal wood frame. Acoustic insulation is adhered to absorb environmental noise and provide a soft, tackable surface. They are fully upholstered with no visible hardware. Wood screens are constructed of solid oak, maple or walnut and finished in a satin clear water-based finish.

Bases

Bases are constructed of steel plates and equipped with felt glides. Small and Large bases align with the edge of a screen. The Large Mid Base is centered on the joint between two screens. Screens are assembled with adjustable height plastic glides at each end. Glides on straight screens may be replaced with bases (**pg 6**) as needed for stability. See **page 8** for layout rules. Powder coated baseboards snap into place after screens are ganged together in an assembly. Baseboards and bases may be powder coated in one of our 26 colors.

Ganging

Screens are equipped with lower connectors in the baseboard and recessed upper connectors to allow for concealed ganging. As a default, 48"H screens include a single upper connector and 59"H and 70"H screens include two upper connectors per side. Upper connectors may be excluded from one or both sides of a screen for a smooth edge when exposed in an assembly.

Power

Power receptacles are offered in 24"W and larger screens. Two different power receptacles are available - dual USB power ports or dual grounded 3-prong electrical outlets. Both options are available in 3 colors. Refer to Power Information on **pages 11-14**.

Accessories

Coat hooks are constructed of bent steel and may be powder coated in one of our 26 colors. These can be hung anywhere on an upholstered screen. Weight limit 10 lb. Whiteboards are constructed of bent steel and powder coated in a white dry erase finish. These can be hung anywhere on an upholstered screen.

Testing

Manufactured to comply with: ANSI/BIFMA X5.6 Panel Systems - Tests

Certifications

Greenguard Gold LEVEL[®] 2


DIMENSIONS	UPHOLSTERED			WOOD	WOOD				
Screens A. Screen Height B. Screen Width C. Screen Thickness	15W A. 48, 59, or 70 B. 15 C. 1.875	24W A. 48, 59, or 70 B. 24.5 C. 1.875	36W A. 48, 59, or 70 B. 36.375 C. 1.875	48W A. 48, 59, or 70 B. 48 C. 1.875		15W A. 48, 59, or 70 B. 15 C. 1.875	24W A. 48, 59, or 70 B. 24.5 C. 1.875	36W A. 48, 59, or 70 B. 36.375 C. 1.875	
Corners A. Corner Height B. Corner Length C. Corner Width D. Corner Thickness	90° Corner A. 48, 59, or 70 B. 8 C. 8 D. 1.875	120° Corner A. 48, 59, or 70 B. 7.3 C. 5.2 D. 1.875	3-Way T A. 48, 59, or 70 B. 14.125 C. 8 D. 1.875	3-Way Y A. 48, 59, or 70 B. 8.5 C. 8.5 D. 1.875	4-Way A. 48, 59, or 70 B. 14 C. 14 D. 1.875	90° Corner A. 48, 59, or 70 B. 8 C. 8 D. 1.875			
Transitions A. Transition Height B. Transition Width C. Transition Thickness	15W A. 59, or 70 B. 15 C. 1.875								
End Caps A. End Cap Height B. End Cap Width C. End Cap Thickness	8W A. 48, 59, or 70 B. 8 C. 1.875								

Bases	Small	Large	Large Mid	
A. Base Length B. Base Width	A. 14 B. 6	A. 18 B. 8.5	A. 18 B. 9.25	
C. Base Thickness	с. 0.18	C. 0.25	C. 0.25	
Accessories A. Accessory Height	White Boa A. 29.75	ard Hook A. 6.6		
B. Accessory Width	B. 36.375	B. 1.5		
C. Accessory Thickness	C. 2.5	C. 1.5		











CORNER ASSEMBLIES

General Guidelines

Small baseplates may be used instead of large baseplates when a corner is included in an assembly.


Baseplates are required at the end of an assembly when the distance to a corner from that end is 30" or greater.

Endcaps and corners must match adjacent screen height. All connections on a corner must be used.

All dimensions given are the stated widths of screens, not the measured widths. For layout rule purposes, screen widths are 15", 24", 36", and 48", Transition screens are 15", and Endcaps are 8".

Endcap panels should not be included to meet minimum length requirements in corner panel layouts.

oth Between Baseplates creens between baseplates and/or uld not exceed 108". orted by one corner exceeds 192", s are required on that segment.	
creens between baseplates and/or uld not exceed 108". orted by one corner exceeds 192",	
108 max	108 max
192 max without La	rge Baseplates
ŀ	
mblies	
48 ı	nin
max without baseplate (this applie	s to any segment l
	<u> </u>
24 min	For an asser
	192 max without Lar emblies 48 r max without baseplate (this applies




linear assembly.





SCREEN HEIGHT AND CONNECTORS	
General Guidelines Corners and endcaps only connect to screens of the same height.	Sample Connector Selections
Connector Right (CR) or Connector Left (CL) are specified to eliminate all connectors on a side for a smooth, finished edge.	
Low Connector option (LR, LL, LB) is specified on a 59H or 70H screen when connecting to a different height screen.	See <u>How to Order</u> for connector selection ordering
Connector locations are determined from Side A of a screen.	70"
	59″
	48″
	LR: Low Connector Right


ng steps.





POWER SPECIFICATION

Please use pages 11-14 as a power specification guide. A full specification requires CET. If you do not use CET, you may create a quick quote using the method below and request a full specification and quote through your Stylex Rep or Account Manager.



A. Receptacle Options

Receptacles are offered as both Duplex (3-pronged outlets) or USB power ports. Three color options are available: black, gray, and white. Select these options when configuring a specific screen to include a receptacle in the layout.






Duplex

USB

B. Infeed Options

Power is supplied to the Still system with one of multiple infeed options. A hardwired infeed is installed by an electrician and connects the system directly to the building's power supply. A corded infeed is also available with a three-pronged plug for connection to a 20amp socket. Multiple infeeds may be used if additional capacity is needed. Refer to your installer and local code requirements to specify the appropriate option.



End-Infeed : Corded UL Recognized

*not available with liquid-tight conduit

90° Plug Straight Plug

SPECIFICATION GUIDE: POWER


C. Internal Jumper Options







Color Options

Jumpers are used to connect receptacles within the Still system. Stylex will determine jumper quantities and lengths based on layout and infeed location. Jumper material selection is based on building and local requirements. Please refer to your installer and local code requirements to specify the correct option for your needs.









Metal Conduit (Standard)

Metal Jacketed Liquid-Tight

Nonmetallic Liquid-Tight




Side-Infeed : Hardwired UL Listed






UL Listed







POWER SPECIFICATION



Please use pages 11-14 as a power specification guide. A full specification requires CET. If you do not use CET, you may create a quick quote using the method below and request a full specification and quote through your Stylex Rep or Account Manager.

A. Splitting Power

A power system may split in two or three directions to distribute power at corners. An H-Connector must be used in a straight screen to split power, joining two jumpers together. A Receptacle Connector is used to connect a receptacle or Side-infeed to an H-Connector. A receptacle or baseplate cannot be located between a split and a corner.




COMPONENT		MODEL OPTIONS	MODEL CODE	(XXX)=LENGTH (IN)	PRICE	DESCRIPTION AND SPECIFICATION GUIDELINES
Infeed - Side/Hardwired			PSB4IHS	072	291	This type of infeed uses 0.5" liquid tight conduit, entering the center of the baseboard on the selected screen. 72" left exposed, and may be cut to length during installation. Hardwired electrical systems may be wired to 1 or 2 bui circuits allowing for a maximum of 26 receptacles. Hardwired Infeed is UL Listed as a Manufactured Wiring System 183)
Infeed - End/Hardwired			PSB4IHE	(XXX)	301	This type of infeed uses metal conduit wrapped in mesh sleeving and enters the end of the screen system connect the first receptacle. Hardwired electrical systems may be wired to 1 or 2 building circuits allowing for a maximum of receptacles. Hardwired Infeed is UL Listed as a Manufactured Wiring System (UL 183).
						*CET is used to configure the total internal and external (24-72") length with a max total length of 120".
Infeed - End/Corded		90° Plug	PSB4ICN	(XXX)*	335	This type of infeed uses metal conduit within the screen system, and enters the end of the screen system with a 17 corded 20amp plug. It is not available with liquid-tight conduit. Corded systems may only be connected to 1 circu allowing for a maximum of 13 receptacles. Corded Infeed is UL Recognized as an Office Furnishing Accessory (UL
		Straight Plug	PSB4ICS	(XXX)*	216	*CET is used to configure the total internal and external length with a max total length of 144".
Receptacle - Duplex		Duplex Black	PSB4DB1 / PSB4DB2		267	Each Duplex receptacle has two 3-prong outlets. There is a 13 Duplex Receptacle limit on 1 circuit systems for each
		Duplex Gray	PSB4DG1 / PSB4DG2		277	infeed. The limit is increased to 26 on 2 circuit systems. The last digit in the model code indicates the circuit number
	Duplex White	PSB4DW1 / PSB4DW2		277		
Receptacle - USB	USB Black	PSB4URB1		438	Each USB receptacle has 2 USB power ports. There is a 13 USB Receptacle limit for each infeed, even on 2 circuit s	
		USB Gray	PSB4URG1		460	The last digit in the model code indicates the circuit number.
	₩)*	USB White	PSB4URW1		460	
Jumpers	Ą	Metal Conduit	PSB4JMC	(XXX)	2/inch	CET is used to configure jumper quantities and individual lengths based on layout and infeed location. Any fraction
	E.	Non-Metallic Liquid Tight Conduit	PSB4JLT	(XXX)	2/inch	inch is rounded up for pricing purposes.
	E.	Metallic Liquid Tight Conduit	PSB4JLM	(XXX)	2/inch	Jumper material selection is based on building and local requirements. Please refer to your installer and local code requirements to specify the correct option for your needs. Default jumper material is Metal Conduit.
						Total jumper pricing can be estimated using the the total length of screens with power in a layout. Add up the widtl screens that have receptacles, jumpers, and infeeds. See example on pg 14.
Connectors		H-Connector	PSB4CHF		32	An H-Connector must be used in a straight screen to split power, joining two jumpers together. A Receptable Conr
		Receptacle Connector	PSB4CRM		19	used to connect a receptacle or side-infeed to an H-Connector. CET will determine actual parts and quantities nee create the layout.
To Quick Quote Select Below (For Budgetary Purposes Or	nly, for precise pricing obtain from CET)				




POWER

Please refer to each component description for specific instructions and guidelines. For an accurate quote, use CET or reach out to our team at designapplication@stylexdesign.com







To Quick Quote Select Below (For Budgetary Purposes Only, for precise pricing obtain from CET)

1. Select Infeed type.

2. Select Receptacle type and quantity.

3. Add up screen widths that have Receptacles, Jumpers, and Infeeds.



Infeed hardwired, SideInfeed Hardwired, SidePSB4IHS0722911280cations and select options and ow the specification guidelines on wothe specification guidelines onReceptacle UplexDuplex BlackPSB4DB12672534Receptacle USBUSB BlackPSB4URB4602920swith power and select which oriate based on the specification 3. For power estimation purposes the: 15', 24', 36', and 48'. Add 12'' per '' x qty. 3) = 324'' ure jumper quantities and individual put and infeed location. Any fraction up for pricing purposes.JumperLiquid TightPSB4UHF32396						TOTAL COST	2 631
Interd hand type. Please follow the les on page 13.Interd Hardwired. SidePSB4IHS0722911280Cations and select options and ow the specification guidelines on the specification guidelines onReceptacle USBDuplex BlackPSB4DB12672534Receptacle USBUSB BlackPSB4URB4602920swith power and select which oriate based on the specification 3. For power estimation purposes ths: 15°, 24°, 36°, and 48°. Add 12° per ths: 15°, 24°, 36°, and 48°. Add 12° per the infeed location. Any fraction up for pricing purposes.Il-ConnectorsPSB4CHF32396				PSB4CRM	19	3	57
Infeed Hardwired, SideInfeed Hardwired, SidePSB4IHS0722911280cations and select options and ow the specification guidelines onReceptacle DuplexDuplex BlackPSB4DB12672534Receptacle USBUSB BlackPSB4URB4602920swith power and select which priate based on the specification 3. For power estimation purposes ths: 157, 247, 367, and 481; Add 12" per rure jumper quantities and individual put and infeed location. Any fractionJumperLiquid TightPSB4JLT3242/inch372744		-	H-Connector	PSB4CHF	32	3	96
Infeed Hardwired, SideInfeed Hardwired, SidePSB4IHS0722911280cations and select options and ow the specification guidelines onReceptacle DuplexDuplex BlackPSB4DB12672534Receptacle USBUSB BlackPSB4URB4602920s with power and select which oriate based on the specification 3. For power estimation purposesJumperLiquid TightPSB4JLT3242/inch372744	ure jumper quantities and individual out and infeed location. Any fraction						
Infeed Hardwired, SideInfeed Hardwired, SidePSB4IHS0722911280201128020112802012220112201222012220122201222012220122012012201	oriate based on the specification <u>3</u> . For power estimation purposes	Jumper	Liquid Tight	PSB4JLT324	2/inch	372	744
Infeed Hardwired, SideInfeed Hardwired, SidePSB4IHS0722911280200 201201201201201201201201 		-	USB Black	PSB4URB	460	2	920
Infeed Hardwired, Side PSB4IHS072 291 1 201 280		-	Duplex Black	PSB4DB1	267	2	534
EXTEN				PSB4IHS072	291	1	280
	TEPS	COMPONENT	MODEL OPTIONS	MODEL CODE	PRICE	QTY	EXTEND

TOTAL COST 2,631

4. Add Connectors


Please refer to each component description for specific instructions and guidelines. For an accurate quote, use CET or reach out to our team at designapplication@stylexdesign.com





MODEL CODE BREAKDOWN - SCREENS


Sample Model Code: STU01H59W36CLBLPACOM





MODEL CODE BREAKDOWN - BASES & ACCESSORIES

Sample Model Code: STB01BL



DS

LG

LL

LP

DARK SAGE

LIGHT GRAY

LILAC GRAY

LR LIPSTICK RED

TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	н	1	J	К	L
Upholstered Screen, 48in Height, 15in Width	ST	U01	H48	W15	15W x 1.88D x 48H	1.7	899	1,020	1,087	1,150	1,216	1,282	1,354	1,426	1,512	1,620	1,753	1,883	2,016
Upholstered Screen, 48in Height, 24in Width	ST	U01	H48	W24	24.5W x 1.88D x 48H	3.3	1,035	1,276	1,410	1,537	1,669	1,802	1,946	2,090	2,261	2,479	2,745	3,006	3,270
Upholstered Screen, 48in Height, 36in Width	ST	U01	H48	W36	36.4W x 1.88D x 48H	3.3	1,274	1,516	1,649	1,777	1,909	2,040	2,186	2,331	2,502	2,720	2,984	3,245	3,510
Upholstered Screen, 48in Height, 48in Width	ST	U01	H48	W48	48W x 1.88D x 48H	3.3	1,326	1,567	1,699	1,828	1,960	2,092	2,236	2,382	2,552	2,771	3,035	3,296	3,559

To Order Select Below

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish
	Width	Connectors	Standard Powder
STU01H48	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE
Upholstered Screen,	W36 36" W	CF NO CONNECTOR	CP CHAMPAGNE
48in Height	W48 48" W	A connector is considered Left or Right when	DB DARK BRONZE
		facing Side A. 48in screens include low connectors	DG DARK GRAY
		on both sides as a default. CF - No Connector is	DP DUSTY PINK

layout rules.

not available on all sizes. Refer to pages 8-10 for

Still Screens

UPHOLSTERED SCREENS: 48IN HEIGHT

Textile Upholstery Grades



{ }_	
\bigvee	
	Power
PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to pages 11-14 for an explanation of


PS is only required when power is splitting

6. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.



TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	Н	1	J	К	L
Upholstered Screen, 59in Height, 15in Width	ST	U01	H59	W15	15W x 1.88D x 59H	2.2	955	1,115	1,203	1,288	1,376	1,464	1,560	1,657	1,771	1,917	2,092	2,267	2,443
Upholstered Screen, 59in Height, 24in Width	ST	U01	H59	W24	24.5W x 1.88D x 59H	3.9	1,127	1,410	1,564	1,713	1,868	2,022	2,190	2,358	2,558	2,812	3,121	3,425	3,734
Upholstered Screen, 59in Height, 36in Width	ST	U01	H59	W36	36.4W x 1.88D x 59H	3.9	1,388	1,669	1,825	1,974	2,128	2,283	2,450	2,619	2,818	3,072	3,381	3,686	3,995
Upholstered Screen, 59in Height, 48in Width	ST	U01	H59	W48	48W x 1.88D x 59H	3.9	1,449	1,730	1,884	2,034	2,188	2,343	2,512	2,680	2,879	3,135	3,443	3,747	4,056

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish
	\bigcirc		
	Width	Connectors	Standard Powde
STU01H59	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE
Upholstered Screen,	W36 36" W	LL LOW CONNECTOR, LEFT	CP CHAMPAGNE
59in Height	W48 48" W	LR LOW CONNECTOR, RIGHT	DB DARK BRONZE
		LB LOW CONNECTOR, BOTH	DG DARK GRAY
		CF NO CONNECTOR	DP DUSTY PINK


A connector is considered Left or Right when facing Side A. 59in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a different height screen. CF - No Connector is not available on all sizes. Refer to **pages 8-10** for layout rules.

	Standard Powde
BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

Still Screens

UPHOLSTERED SCREENS: 59IN HEIGHT

Textile Upholstery Grades



\bigcirc	
	Power
PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to pages 11-14 for an explanation of


PS is only required when power is splitting

6. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.



TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	Н	I	J	К	L
Upholstered Screen, 70in Height, 15in Width	ST	U01	H70	W15	15W x 1.88D x 70H	2.8	1,035	1,237	1,347	1,455	1,564	1,675	1,794	1,915	2,057	2,239	2,460	2,677	2,896
Upholstered Screen, 70in Height, 24in Width	ST	U01	H70	W24	24.5W x 1.88D x 70H	5.0	1,205	1,567	1,766	1,958	2,157	2,356	2,571	2,787	3,043	3,371	3,769	4,159	4,556
Upholstered Screen, 70in Height, 36in Width	ST	U01	H70	W36	36.4W x 1.88D x 70H	5.0	1,512	1,873	2,073	2,265	2,463	2,662	2,878	3,094	3,350	3,676	4,075	4,465	4,863
Upholstered Screen, 70in Height, 48in Width	ST	U01	H70	W48	48W x 1.88D x 70H	5.0	1,598	1,961	2,161	2,354	2,551	2,749	2,966	3,182	3,438	3,765	4,162	4,554	4,951

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish					
	Width	Connectors	Standard Powder					
STU01H70	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE					
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE					
Upholstered Screen,	W36 36" W	LL LOW CONNECTOR, LEFT	CP CHAMPAGNE					
70in Height	W48 48" W	LR LOW CONNECTOR, RIGHT	DB DARK BRONZE					
		LB LOW CONNECTOR, BOTH	DG DARK GRAY					


A connector is considered Left or Right when facing Side A. 70in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a lower height screen. Refer to **pages 8-10** for layout rules.

	Standard Powder Co
BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

Still Screens

UPHOLSTERED SCREENS: 70IN HEIGHT

Textile Upholstery Grades



\bigcup	
	Power
PA	POWER POSITION A
РВ	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to pages 11-14 for an explanation of

PS is only required when power is splitting

6. Upholstery


Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackablity, please confirm your textile is tackable directly with the manufacturer.

TP TAUPE





TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	н	I	J	К	L	
Upholstered Screen, 59in Height, Transition	ST	U02	H59	W15	15W x 1.88D x 59H	2.2	955	1,115	1,203	1,288	1,376	1,464	1,560	1,657	1,771	1,917	2,092	2,267	2,443	
Upholstered Screen, 70in Height, Transition	ST	U02	H70	W15	15W x 1.88D x 70H	2.8	1,029	1,229	1,340	1,447	1,558	1,667	1,788	1,907	2,051	2,232	2,452	2,670	2,890	



Still Screens

UPHOLSTERED SCREENS: TRANSITIONS

Textile Upholstery Grades

Μ
2,618
3,108

TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	Н	1	J	К	L	M
Upholstered Screen, 48in Height, End Cap	ST	U10	H48		8W x 1.88D x 48H	1.7	558	678	744	809	875	941	1,013	1,086	1,171	1,280	1,412	1,543	1,675	1,
Upholstered Screen, 59in Height, End Cap	ST	U10	H59		8W x 1.88D x 59H	2.2	596	757	846	932	1,020	1,108	1,204	1,300	1,414	1,559	1,737	1,909	2,087	2,
Upholstered Screen, 70in Height, End Cap	ST	U10	H70		8W x 1.88D x 70H	2.8	632	832	943	1,049	1,161	1,270	1,390	1,510	1,654	1,835	2,055	2,272	2,493	2,

1. Series/Model/Height

2. Connectors

No Connectors Required

The radius is on the right side when facing Side A. Refer to pages 8-10 for layout rules.

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
тс	TERRACOTTA
	TERRACOTIA
TP	TAUPE

STU10H59

STU10H48

Still

Still Upholstered Screen, 59in Height, End Cap

Upholstered Screen,

48in Height, End Cap

STU10H70

Still Upholstered Screen, 70in Height, End Cap

Still Screens

UPHOLSTERED SCREENS: END CAP

Textile Upholstery Grades

4. Power

Power

INFEED END (CORDED) IE

Refer to pages 11-14 for an explanation of Power Selection.

PS is onlytitle operation of the state of th in a 24"W screen.

Endcaps are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

М
1,805
2,259
2,710

TITLE	SERIES	MODEL	HEIGHT W	IDTH DIMENSIONS	YDG	СОМ	А	В	С	D	E	F	G	н	1	J	К	L	
Upholstered Screen, 48in Height, 90 Degree	ST	U20	H48	8W x 8D x 48H	1.7	820	939	1,006	1,070	1,136	1,202	1,273	1,346	1,432	1,540	1,672	1,803	1,935	:
Upholstered Screen, 59in Height, 90 Degree	ST	U20	H59	8W x 8D x 59H	2.2	986	1,147	1,236	1,322	1,410	1,498	1,593	1,689	1,803	1,948	2,125	2,298	2,475	
Upholstered Screen, 70in Height, 90 Degree	ST	U20	H70	8W x 8D x 70H	2.8	1,028	1,228	1,338	1,446	1,556	1,666	1,787	1,905	2,049	2,230	2,450	2,669	2,889	

To Order Select Below

1. Series/Model/Height

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

STU20H48

Still Upholstered Screen, 48in Height, 90° Corner

STU20H59

Still Upholstered Screen, 59in Height,90° Corner

STU20H70

Still Upholstered Screen, 70in Height, 90° Corner

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
TC	TERRACOTTA
ТР	TAUPE

Still Screens

UPHOLSTERED SCREENS: 90 DEGREE CORNER

Textile Upholstery Grades

4. Power

Power

INFEED END (CORDED) IE

Refer to pages 11-14 for an explanation of Power Selection.

PS is on Syttle operation of the state of the set of th in a 24"W screen.

Corners are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

М
2,066
2,649
3,106

TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	н	I	J	К	L	N
Upholstered Screen, 48in Height, 120 Degree	ST	U21	H48		5.2W x 7.3D x 48H	1.7	751	872	938	1,003	1,068	1,135	1,206	1,279	1,366	1,473	1,606	1,737	1,869	2,
Upholstered Screen, 59in Height, 120 Degree	ST	U21	H59		5.2W x 7.3D x 59H	2.2	866	1,026	1,115	1,200	1,288	1,376	1,473	1,568	1,683	1,828	2,005	2,179	2,356	2,
Upholstered Screen, 70in Height, 120 Degree	ST	U21	H70		5.2W x 7.3D x 70H	2.8	905	1,107	1,218	1,325	1,434	1,545	1,664	1,785	1,927	2,109	2,330	2,547	2,767	2,

To Order Select Below

1. Series/Model/Height

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

STU21H48

Still Upholstered Screen, 48in Height, 120° Corner

STU21H59

Still Upholstered Screen,

STU21H70

Still Upholstered Screen, 70in Height, 120° Corner

59in Height, 120° Corner

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
TC	TERRACOTTA
ТР	TAUPE

Still Screens

UPHOLSTERED SCREENS: 120 DEGREE CORNER

Textile Upholstery Grades

4. Power

Power

INFEED END (CORDED) IΕ

Refer to pages 11-14 for an explanation of Power Selection.

PS is on Syttle operation of the state of the set of th in a 24"W screen.

Corners are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

М
2,000
2,529
2,985

TITLE	SERIES	MODEL	HEIGHT WIDTH	DIMENSIONS	YDG	СОМ	А	В	С	D	E	F	G	н	I	J	К	L	
Upholstered Screen, 48in Height, 3-Way T	ST	U22	H48	8W x 14.13D x 48H	1.7	1,223	1,345	1,411	1,475	1,540	1,607	1,679	1,750	1,837	1,945	2,078	2,208	2,340	
Upholstered Screen, 59in Height, 3-Way T	ST	U22	H59	8W x 14.13D x 59H	2.2	1,468	1,631	1,717	1,803	1,892	1,980	2,076	2,170	2,286	2,430	2,607	2,781	2,958	
Upholstered Screen, 70in Height, 3-Way T	ST	U22	Н70	8W x 14.13D x 70H	2.8	1,535	1,738	1,847	1,955	2,065	2,176	2,295	2,416	2,558	2,739	2,961	3,178	3,398	

To Order Select Below

1. Series/Model/Height

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

STU22H48

Still Upholstered Screen, 48in Height, 3-Way T

STU22H59

Still Upholstered Screen, 59in Height, 3-Way T

STU22H70

Still Upholstered Screen, 70in Height, 3-Way T

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
TC	TERRACOTTA
TP	TAUPE

Still Screens

UPHOLSTERED SCREENS: 3-WAY T CORNER

Textile Upholstery Grades

4. Power

Power

INFEED END (CORDED) IE

Refer to pages 11-14 for an explanation of Power Selection.

PS is on Syttle operation of the state of the set of th in a 24"W screen.


Corners are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.



TITLE	SERIES	MODEL	HEIGHT WIDTH	DIMENSIONS	YDG	СОМ	A	В	С	D	E	F	G	Н	1	J	К	L	
Upholstered Screen, 48in Height, 3-Way Y	ST	U23	H48	8.5W x 8.5D x 48H	1.7	1,169	1,289	1,356	1,420	1,486	1,552	1,623	1,696	1,783	1,891	2,023	2,154	2,286	
Upholstered Screen, 59in Height, 3-Way Y	ST	U23	H59	8.5W x 8.5D x 59H	2.2	1,322	1,481	1,569	1,656	1,743	1,831	1,928	2,024	2,138	2,284	2,461	2,634	2,811	
Upholstered Screen, 70in Height, 3-Way Y	ST	U23	H70	8.5W x 8.5D x 70H	2.8	1,384	1,586	1,696	1,802	1,914	2,023	2,142	2,264	2,406	2,589	2,808	3,025	3,246	

1. Series/Model/Height

STU23H48

STU23H59

STU23H70

Still

Still

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG MEADOW GREEN MK MILK MS METALLIC SILVER NK NICKEL OC OCHRE PY PALE YELLOW RO RED ORANGE RR RUSTY RED SB SOFT BLUE SD SAND TC TERRACOTTA TP TAUPE

Still Upholstered Screen, 70in Height, 3-Way Y

Upholstered Screen,

48in Height, 3-Way Y

Upholstered Screen,

59in Height, 3-Way Y

Still Screens

UPHOLSTERED SCREENS: 3-WAY Y CORNER

Textile Upholstery Grades

4. Power

Power

IE INFEED END (CORDED)

Refer to pages 11-14 for an explanation of Power Selection.

PS is onlytile operative estimation of the set of the s in a 24"W screen.


Corners are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.



TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	СОМ	А	В	С	D	E	F	G	Н	1	J	К	L	
Upholstered Screen, 48in Height, 4-Way	ST	U24	H48		14W x 14D x 48H	2.2	1,650	1,812	1,899	1,985	2,074	2,162	2,257	2,354	2,467	2,612	2,789	2,963	3,140	;
Upholstered Screen, 59in Height, 4-Way	ST	U24	H59		14W x 14D x 59H	2.8	1,952	2,154	2,265	2,371	2,480	2,592	2,711	2,831	2,973	3,154	3,376	3,594	3,815	
Upholstered Screen, 70in Height, 4-Way	ST	U24	H70		14W x 14D x 70H	2.8	2,040	2,243	2,354	2,462	2,571	2,682	2,801	2,921	3,064	3,246	3,466	3,684	3,904	

To Order Select Below

1. Series/Model/Height

2. Connectors

No Connectors Required

Refer to pages 8-10 for layout rules.

STU24H48

Still Upholstered Screen, 48in Height, 4-Way

STU24H59

Still Upholstered Screen, 59in Height, 4-Way

STU24H70

Still Upholstered Screen, 70in Height, 4-Way

3. Baseboard Finish

Standard Powder Coated Metal

BLBLUEBMBLACK MATTECPCHAMPAGNEDBDARK BRONZEDGDARK GRAYDPDUSTY PINKDSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK REDMBMIDNIGHT BLUE		
CPCHAMPAGNEDBDARK BRONZEDGDARK GRAYDPDUSTY PINKDSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	BL	BLUE
DBDARK BRONZEDGDARK GRAYDPDUSTY PINKDSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	BM	BLACK MATTE
DGDARK GRAYDPDUSTY PINKDSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	СР	CHAMPAGNE
DPDUSTY PINKDSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	DB	DARK BRONZE
DSDARK SAGELGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	DG	DARK GRAY
LGLIGHT GRAYLLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	DP	DUSTY PINK
LLLILAC GRAYLPLIGHT PISTACHIOLRLIPSTICK RED	DS	DARK SAGE
LP LIGHT PISTACHIO LR LIPSTICK RED	LG	LIGHT GRAY
LR LIPSTICK RED	LL	LILAC GRAY
	LP	LIGHT PISTACHIO
MB MIDNIGHT BLUE	LR	LIPSTICK RED
	MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
TC	TERRACOTTA
ТР	TAUPE

Still Screens

UPHOLSTERED SCREENS: 4-WAY CORNER

Textile Upholstery Grades

4. Power

Power

INFEED END (CORDED) IE

Refer to pages 11-14 for an explanation of Power Selection.

PS is on Syttle operation of the state of the set of th in a 24"W screen.


Corners are not tackable.

5. Upholstery

Upholstery

See general information section for details on textile program and COM/COL information.

Still textiles must be applied up the roll.



						Solid Wood
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	P1
Wood Screen, 48in Height, 15in Width	ST	W01	H48	W15	15W x 1.88D x 48H	1,450
Wood Screen, 48in Height, 24in Width	ST	W01	H48	W24	24.5W x 1.88D x 48H	1,971
Wood Screen, 48in Height, 36in Width	ST	W01	H48	W36	36.4W x 1.88D x 48H	2,650

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish		5. Power	6. Wood Finish	
	Width	Connectors	Standard Powder Co	pated Metal	Power	Wood Finish	15W 24W
STW01H48	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE	MG MEADOW GREEN	PA POWER POSITION A	SW81 OAK	
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE	MK MILK	PB POWER POSITION B	SW83 NATURAL MAPLE	
Wood Screen,	W36 36" W	CF NO CONNECTOR	CP CHAMPAGNE	MS METALLIC SILVER	PS POWER SPLIT	SW85 WALNUT	+218 +340
48in Height		A connector is considered Left or Right when	DB DARK BRONZE	NK NICKEL	IE INFEED END	SW87 OPAQUE BLACK	
		facing Side A. 48in screens include low connectors	DG DARK GRAY	OC OCHRE	Refer to pages 11-14 for an explanation of		
		on both sides as a default. CF - No Connector is	DP DUSTY PINK	PY PALE YELLOW	Power Selection.		
		not available on all sizes. Refer to pages 8-10 for					

DS DARK SAGE

LG LIGHT GRAY

LL

LILAC GRAY

LP LIGHT PISTACHIO

LR LIPSTICK RED

MB MIDNIGHT BLUE

layout rules.

Still Screens

WOOD SCREENS: 48IN HEIGHT

PS is only required when power is splitting in a 24"W screen.

RO RED ORANGE

SB SOFT BLUE

SAND

TC TERRACOTTA

TP TAUPE

RR

SD

RUSTY RED



					Solid Wood
TITLE	SERIES	MODEL	HEIGHT	WIDTH DIMENSIONS	P1
Wood Screen, 59in Height, 15in Width	ST	W01	H59	W15 15W x 1.88D x 59H	1,581
Wood Screen, 59in Height, 24in Width	ST	W01	H59	W24 24.5W x 1.88D x 59H	2,168
Wood Screen, 59in Height, 36in Width	ST	W01	H59	W36 36.4W x 1.88D x 59H	2,932

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish	5. Power	6. Wood Finish	
	Width	Connectors	Standard Powder Coated Metal	Power	Wood Finish 15W 24W	
STW01H59	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE MG MEADOW GREE	EN PA POWER POSITION A	SW81 OAK	
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE MK MILK	PB POWER POSITION B	SW83 NATURAL MAPLE	
Wood Screen,	W36 36" W	LL LOW CONNECTOR, LEFT	CP CHAMPAGNE MS METALLIC SILV	ER PS POWER SPLIT	SW85 WALNUT +285 +451	
59in Height		LR LOW CONNECTOR, RIGHT	DB DARK BRONZE NK NICKEL	IE INFEED END	SW87 OPAQUE BLACK	
		LB LOW CONNECTOR, BOTH	DG DARK GRAY OC OCHRE	Refer to pages 11-14 for an explanation of		
		CF NO CONNECTOR	DP DUSTY PINK PY PALE YELLOW	Power Selection.		

A connector is considered Left or Right when facing Side A. 59in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a different height screen. CF - No Connector is not available on all sizes. Refer to <u>X</u> for layout rules.

	Standard Powder Co
BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

Still Screens

WOOD SCREENS: 59IN HEIGHT

PS is only required when power is split	ting

in a 24"W screen.

RO RED ORANGE


RR RUSTY RED

SB SOFT BLUE

TC TERRACOTTA

SD SAND

TP TAUPE



					Solid Wood
TITLE	SERIES	MODEL	HEIGHT	WIDTH DIMENSIONS	P1
Wood Screen, 70in Height, 15in Width	ST	W01	H70	W15 15W x 1.88D x 70H	1,730
Wood Screen, 70in Height, 24in Width	ST	W01	H70	W24 24.5W x 1.88D x 70H	2,414
Wood Screen, 70in Height, 36in Width	ST	W01	H70	W36 36.4W x 1.88D x 70H	3,293

1. Series/Model/Height	2. Width	3. Connectors	4. Baseboard Finish		5. Power	6. Wood Finish		
	Width	Connectors	Standard Powder Co	oated Metal	Power	Wood Finish	15W 24W	
STW01H70	W15 15" W	CL LEFT CONNECTOR ONLY	BL BLUE	MG MEADOW GREEN	PA POWER POSITION A	SW81 OAK		
Still	W24 24" W	CR RIGHT CONNECTOR ONLY	BM BLACK MATTE	MK MILK	PB POWER POSITION B	SW83 NATURAL MAPLE		
Wood Screen,	W36 36" W	LL LOW CONNECTOR, LEFT	CP CHAMPAGNE	MS METALLIC SILVER	PS POWER SPLIT	SW85 WALNUT	+359 +558	
70in Height		LR LOW CONNECTOR, RIGHT	DB DARK BRONZE	NK NICKEL	IE INFEED END	SW87 OPAQUE BLACK		
		LB LOW CONNECTOR, BOTH	DG DARK GRAY	OC OCHRE	Refer to pages 11-14 for an explanation of			
		A connector is considered Left or Right when	DP DUSTY PINK	PY PALE YELLOW	Power Selection.			

A connector is considered Left or Right when facing Side A. 70in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a lower height screen. Refer to **pages 8-10** for layout rules.

	Standard Powder Co
BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

Still Screens

WOOD SCREENS: 70IN HEIGHT

PS is only required when power is splitting
in a 24"W screen.

RO RED ORANGE

RR RUSTY RED

SB SOFT BLUE

TC TERRACOTTA

SD SAND

TP TAUPE



					Solid Wood
TITLE	SERIES	MODEL	HEIGHT	WIDTH DIMENSIONS	P1
Wood Screen, 48in Height, 90 Degree Corner	ST	W02	H48	8W x 8D x 48H	1,196
Wood Screen, 59in Height, 90 Degree Corner	ST	W02	H59	8W x 8D x 59H	1,295
Wood Screen, 70in Height, 90 Degree Corner	ST	W02	H70	8W x 8D x 70H	1,399

1. Series/Model/Height

2. Connectors

No Connectors Required

Refer to pages 8-10 for layout rules.

3. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE
BM	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG	MEADOW GREEN
МК	MILK
MS	METALLIC SILVER
NK	NICKEL
OC	OCHRE
PY	PALE YELLOW
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
тс	TERRACOTTA
ТР	TAUPE

Still Wood Screen, 59in Height,90° Corner

48in Height, 90° Corner

STW02H70

STW02H48

STW02H59

Wood Screen,

Still

Still Wood Screen, 70in Height, 90° Corner

Still Screens

WOOD SCREENS: 90 DEGREE CORNER

4. Wood Finish

		Wood Finish	48H	59H	70H
EN	SW81	ОАК			
	SW83	NATURAL MAPLE			
/ER	SW85	WALNUT	+184	+225	+283
	SW87	OPAQUE BLACK			

TITLE	SERIES	MODEL	DIMENSIONS	P1
Base, Small	ST	B01	6W x 14D x 0.18H	128
Base, Large	 ST	B02	8.5W x 18D x 0.25H	154
Base, Large Mid	ST	B03	9.25W x 18D x 0.25H	154
Accessories, Hook	ST	A01	1.5W x 1.5D x 6.6H	40
Accessories, Whiteboard	ST	A02	36.38W x 2.5D x 29.75H	811
To Order Select Below				

1. Series/Model

STB01	SMALL BASEPLATE
STB02	LARGE BASEPLATE
STB03	LARGE MID BASEPLATE
STA01	COAT HOOK
STA02	WHITE BOARD

The White Board is only available in dry erase paint. Refer to pages 8-10 for layout rules.

2. Baseboard Finish

Standard Powder Coated Metal

BL	BLUE			
BM	BLACK MATTE			
СР	CHAMPAGNE			
DB	DARK BRONZE			
DG	DARK GRAY			
DP	DUSTY PINK			
DS	DARK SAGE			
LG	LIGHT GRAY			
LL	LILAC GRAY			
LP	LIGHT PISTACHIO			
LR	LIPSTICK RED			
MB	MIDNIGHT BLUE			

MG	MEADOW GREEN				
МК	MILK				
MS	METALLIC SILVER				
NK	NICKEL				
OC	OCHRE				
PY	PALE YELLOW				
RO	RED ORANGE				
RR	RUSTY RED				
SB	SOFT BLUE				
SD	SAND				
TC	TERRACOTTA				
ТР	TAUPE				



BASEPLATES AND ACCESSORIES
