stylex

General Information

STYLEX PRICE LIST

GENERAL INFORMATION

Terms

Net 30 days from date of invoice, F. O. B. Delanco, New Jersey.

Damaged Shipments

All Stylex products are carefully inspected before they are packed in sturdy cartons designed to satisfy shipping requirements. Stylex is not responsible for damage in shipment. The transportation company assumes responsibility for delivering products to you in good condition when the bill of lading is signed. You protect yourself by refusing shipments showing damage or shortage until transportation company has noted on the delivery sheet the extent of damage or shortage. Concealed damage should be reported to the carrier as soon as discovered, but no later than 5 days after receiving shipment.

Return/Restocking Policy

Return shipments will not be accepted unless specifically authorized by Stylex in writing. The Return Authorization number should be clearly marked on the carton. The customer returning Stylex products is responsible for return shipping costs. Merchandise must be returned unused. Returned merchandise is subject to a 35% restocking fee.

Special Products

Modifications to standard products will be considered for large runs. Contact factory for price quotations.

Design Changes

In keeping with modern manufacturing advances, Stylex reserves the right to incorporate minor modifications and design changes in products without notice.

Cancellation/Change Order Policy

Regarding requests for order cancellation and/or order modification, please be advised that no charges will be applied before production, unless inventory has been specifically requisitioned to fulfill your order. Once orders proceed to the production phase, they cannot be altered or canceled under any circumstances. All requests for order cancellations or order changes must be submitted in writing and will only be considered valid upon approval by Stylex.

WARRANTY

Except as provided below, Stylex warrants exclusively to the original Purchaser of our product that all parts, under normal use and service, will be free from defects in workmanship and material for a period of ten (10) years from the date of purchase. "Normal use and service" means that the product will be used in a typical office environment for 40-45 hours per week.

This warranty is subject to the following limitations, exclusions and provisions:

Limitations involving materials and components:

Wood components of plywood stacking chairs

(such as Brooks and Welcome) 5 years

Upholstery

(including mesh used for Click, F4, Insight, and Zephyr 3 years

SAVA Mesh

10 years

Pneumatic Cylinders

3 years

COM Upholstery

No warranty

Stylex makes every effort to ensure that the COM Upholstery it approves is suitable for the intended use. Nevertheless, we will not warrant, and assume no responsibility for, the durability or tailoring quality of any COM or COL. If you have any concerns about the ultimate appearance of any covering, please order an upholstered sample.

Painted Stack Chair Frames

No Warranty

We will not warrant the finish of painted stack chair frames against damage from stacking. Please order chrome frames for chairs that will be stacked.

Felt Glides

No warranty

Due to the different surfaces on which felt glides may be used, we cannot warrant their durability over time.

If this product fails during normal use and service within the applicable warranty period (other than through normal wear and tear), please submit a warranty claim at stylexdesign.com/warranty-claim/. Quantity, model details, description of issue, and Stylex certified labels are required for submission. PLEASE DO NOT RETURN PARTS OR THE PRODUCT TO STYLEX UNLESS INSTRUCTED TO DO SO BY STYLEX. Stylex will, at its discretion, either repair or replace the defective product or part at no cost. Labor requests must receive approval and will be authorized on a case-bycase basis. We will only reimburse for labor costs directly incurred, excluding any travel-related expenses. Purchaser may be required (at the option of Stylex) to return to Stylex at Purchaser's expense any defective part with all freight or shipping charges prepaid. The foregoing warranty shall be void if the product has been altered or repaired (other than by Stylex). The warranty does not cover damage to the product caused by accident, neglect, misuse, abuse, modification to the product by anyone other than Stylex or damage caused by use of the product for a purpose other than that for which it was designed. This warranty extends only to the original Purchaser of the product.

No Other Warranties

This warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. The rights and remedies provided herein are the exclusive rights and remedies of the original purchaser of the product.

No Liability For Damages

In no event shall Stylex or its suppliers be responsible or liable for any special, indirect, consequential, or incidental damages. In no event shall the liability of Stylex exceed the actual purchase price paid to Stylex for the product.

Out of Warranty Products

For all products no longer covered by our warranty, please refer to our Design for Durability and Upgradability Policy. Contact your Account Manager if you would like to purchase any replaceable components to further extend the life of any Stylex seating product. This warranty applies to all Stylex products purchased on April 13, 2018, and thereafter.

PRODUCT TAKE BACK PROGRAM

In order to be good stewards of our products, Stylex offers a pathway towards a Product Take Back Program as a more viable solution to the end of our products' originally intended life.

Stylex supports the sustainable programs of ANEW and offers their added value to our clients through a comprehensive take-back solution for surplus office furniture and materials of any kind, in any condition. AN EW is a 501(c)(3) non-profit organization that exists to provide companies with smart, cost effective alternatives for their surplus furniture and other items with the priority of matching it to non- profits, public agencies and the underserved, within the local community of the project site. Corporate Social Responsibility is raised while the impact on the environment is lowered by diverting products and materials otherwise destined for landfill.


Stylex is proud to offer ANEW to customers dedicated to strengthening their community network by repurposing their furniture, fixtures and architectural materials to those in need. In 2014, Stylex committed to making this relationship a part of our strategic sales strategy. Visit www.anewfound.org to find out more.

To initiate a Product Take Back strategy through ANEW, contact Stylex Account Management at 800-257-5742.

For other end of life recovery options, please see our Product Disassembly Instructions and End of Life Recovery Options documents available on our website in the resources section of each product in our line.

FREIGHT PROGRAM

Freight charges will be calculated as a percentage of the net product price and added to the invoice at the time of shipment. The continental United States has been divided into three zones. Please use the map below to determine freight charges for the product's destination. Minimum freight charge is \$250. Please let us know if you will be shipping to a residential address or require inside delivery as this requires an additional fee. Also please note we need to be made aware if a liftgate is required prior to delivery. If any requests are made at the time of delivery, applicable charges will apply.



ZONE 1 - 4%

Connecticut Delaware New York New Jersey Maryland Massachusetts North Carolina Ohio Pennsylvania Rhode Island Virginia Washington D.C.

West Virginia

ZONE 2 - 5%

Iowa

Illinois

Indiana

Kansas

Kentucky

Louisiana

Nebraska

Oklahoma

Michigan

Minnesota

Mississippi

Tennessee

Texas

Vermont

Wisconsin

South Carolina

Missouri

Maine

New Hampshire

ZONE 3 - 6% Alabama Arizona **Arkansas** California Canada, Ontario Colorado Canada, Quebec ldaho Florida Montana Georgia

Nevada **New Mexico** North Dakota Oregon South Dakota

Washington Wyoming

Quote Per Project Alaska

Hawaii Canada (outside Ontario & Quebec)

Mexico

2

General Information

STYLEX PRICE LIST

TEXTILE PARTNERS & APPROVALS

Textile Partners

To customize your furniture performance needs and design vision, Stylex offers a wide selection of in-graded leathers and textiles from Grades A through Y. We've partnered with leading manufacturers on the options, focusing on color, price, durability, and construction. To view our partners and explore our digital carded program with broadly approved textiles, visit **this page**. We stand by these textiles: They're tried and tested, and will effortlessly fit into any design aesthetic.

Textile Approvals

All textiles must be approved for the product you are specifying. For the related approved textile lists, visit **this page**.

CAL 117 AND 133 COMPLIANCE

CAL 117-2013

CAL 117-2013 compliance is a requirement for all textiles applied on our seating products. All Stylex seating products meet this standard.

CAL 133

Most Stylex seating can be ordered to meet the requirements of CAL 133. When ordering, simply specify "CAL 133 compliance required". The upcharge for this option is \$54 list per yard. Please refer to the COM yardage of each model to determine the number of yards required. We do frequently require full-scale burn tests in order to certify CAL 133 before an order will be accepted. Such burn tests may increase normal lead times and do carry additional charges. Please contact your Stylex account manager for details.

CUSTOMER'S OWN MATERIAL/LEATHER

Customer's own material (COM) and customer's own leather (COL) will generally be upholstered at the price designated in each product's price list. Please be advised, however, that we specifically reserve the right to charge a higher price when we determine that special circumstances, such as unusual repeats or challenging materials, present themselves. All orders for custom coverings must be approved by Stylex before they will be accepted for production. To submit proposed textile for approval, please use the COM form here.

Special Note:

We assume no responsibility for the durability or tailoring quality of any COM or COL. Directional covers in particular may not meet your satisfaction due to the design of certain products. Please be advised that COM and COL orders are not subject to return. If you have doubts about the ultimate appearance of certain coverings, please order a sample done with that specific COM or COL. In addition, while we inspect fabrics for mill imperfections, some are difficult to recognize. We cannot be responsible for defects, color inaccuracies, dye lot variations, or other flaws.

Under no circumstances will we be responsible for COM shortages, flaws, or other such problems. Finally, it is not our responsibility to police the receipt of COM's in order to meet delivery deadlines, and we assume our customers are aware of any undue delay in the shipment of their COM fabrics.

COM fabric and COL leather should be sent prepaid to:

Stylex

Attn: COM/COL - [Your Stylex PO #] 740 Coopertown Road

Delanco, NJ 08075

All COM/COL sent to Stylex must be accompanied with a packing list which indicates the dealers' name, Stylex corresponding PO number, sales order number, COM/COL supplier name, textile pattern, colorway and shipped quantity. Stylex requires COM to be sent in as continuous yardage in the same dielot.

Yardage requirements shown in the price list are based on non-directional goods of 54" width. Fabrics less than 54" wide or those requiring matching (stripes, prints, or large patterned designs) call for additional yardage. We will be happy to supply yardage requirements for large quantities where economies may be realized.

Add the following yardage for stripes, plaids, or patterns with repeats:

Fabric Width	Plain Fabric	2-14" Repeat	15-24" Repeat	25-27" Repeat	28-36" Repeat
54"	0%	10%	15%	20%	25%
50"	10%	20%	25%	30%	35%
48"	15%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

COM/COL FORM

To avoid delay in processing COM orders we request that you submit a sample of your COM textile stapled to this form which can be downloaded **here**. If a textile has a stripe or design, the size of the repeat should be indicated. Please indicate the textile supplier's name, textile number, and color. Also indicate the Stylex product on which the textile will be used. If a certain direction of application is required, please ensure that information is communicated directly to your Stylex account manager.

The fabric supplier must indicate on his shipping labels the dealer name and purchase order number as well as the Stylex model number.

Please Note:

No order may be entered into production or have a shipping date assigned until all related COM is received at the factory.



CENTER OF STRIPE OR DESIGN

TOP OF CHAIR	TOP OF CHAIR

1. Size of Repeat		
2. Textile Supplier		
3. Textile Number		
4. Color		
5. Stylex Product		

Contents

ABOUT	5	
STATEMENT OF LINE	6	
PRODUCT INFORMATION	10	
DIMENSIONS	11	
HOW TO ORDER	13	
COLORS, MATERIALS, AND FINISHES	16	


SEATING: ELEVATED	17
SEATING: PLINTH	25
TRAY TABLE	33
TABLET ARM	34
PLANTER	36

CLICK THE TITLES ABOVE TO NAVIGATE THROUGH THE DOCUMENT PRODUCT HEADERS ON SUBSEQUENT PAGES LINK BACK TO THIS PAGE



Introducing Luna, banquette seating that offers precise customization down to the inch, ensuring a perfect fit even in the most unconventional spaces. With segments ranging from 25" to 60", Luna allows you to create symmetrical and tailored seating arrangements, whether running or stand alone, with the option for half-moon-shaped arms. Luna seamlessly integrates with our Still screens, and the collection includes options for high or low backs, a planter for enclosed layouts, and a trio of accessory tables. Pricing is offered in seven different buckets, conveniently divided into 5" increments, ensuring efficiency and ease in specification. For layout assistance, our Design Application team is at your service – get in touch at designapplication@stylexdesign.com.







PLINTH, HIGH BACK, PLANTERS

SPECIFICATION GUIDE: STATEMENT OF LINE, ELEVATED SEATING

OVERVIEW								
Elevated Low Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right		
	The same and the s							
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap				
Elevated High Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right		
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap				

PRODUCT INFORMATION

Design

A Stylex Design, by Anthony Land

Legs (Elevated)

Elevated units come with cast aluminum legs, available in a polished finish and Stylex's standard powder coat colors. They can also be ordered without legs for custom millwork.

Configuration

Luna can be ordered as freestanding units or as part of a larger layout. When ordering, it's crucial to specify whether each line item is freestanding or for the start/mid/end of a layout. Arrange them from left to right as viewed from a seated perspective. We highly recommend using CET Designer for specifying this product for optimal accuracy.

Use

Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: STATEMENT OF LINE, PLINTH SEATING

Plinth Low Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
			A STATE OF THE PARTY OF THE PAR			
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		
inth High Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
	A SEA SEA SEA SEA SEA SEA SEA SEA SEA SE					
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		

PRODUCT INFORMATION

Design

A Stylex Design, by Anthony Land

Toe Kick (Plinth)

Plinth units include a 2.625" black laminate toe kick.

Configuration

Luna can be ordered as freestanding units or as part of a larger layout. When ordering, it's crucial to specify whether each line item is freestanding or for the start/mid/end of a layout. Arrange them from left to right as viewed from a seated perspective. We highly recommend using CET Designer for specifying this product for optimal accuracy.

Use

Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: STATEMENT OF LINE, PLANTERS, TRAYS AND TABLET ARMS

OVERVIEW						
Planter Low Back Height	Single	Double				
Planter High Back Height	Single	Double				
Tray & Tablet Arm	Round Tray Table	Wireless Charging Tray	Under Mount, Single Swivel	Under Mount, Dual Swivel	Seat Mount, Single Swivel	Seat Mount, Dual Swivel
Power	Under Mount (for Elevated style)	Flush Mount (for Plinth style)				

PRODUCT INFORMATION

Planters

Planters extend to the floor, resting on height-adjustable glides, and feature a black laminate finish over an MDF core. They are concealed on all vertical sides by seat units or a wall. Please note that enclosed planters are not intended to be exposed; they should be surrounded by seating units or placed against a wall. Exposed planters can be exposed on all sides.

Tray Tables and Tablet Arms

The round tray table is made of steel and available in 26 powder coat finishes.

The wireless charging tray comes in four different solid wood finish options, featuring a black wireless surface mount charging unit in the center of the oval top.

Tablet arms are available in single or dual swivel, with four solid wood finish options.

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Default cord lengths are 10 feet, with custom lengths available. Additional power options include daisy chain and wireless surface mount charging. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5′, 10′, and 15′ standard lengths with a 3-prong plug.

Use


Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: ACCESSORIES AND DETAILS



PRODUCT INFORMATION

Plinth

The plinth is designed to provide a continuous appearance at the front, back, and exposed ends of a unit. However, the plinth side panels are removed when ordered as the Start, Mid, and End of a ganged layout.

Ganging

Elevated style units employ mid legs for ganging seating units side-to-side and back-to-back, while plinth style units use ganging brackets to connect seats in the same manner. Plinth Start, Mid, and End units can be ganged side-to-side and come with cast aluminum drop-on ganging brackets for tool-free assembly.

Elevated - Legs

Elevated seats share a leg between non-standalone units, while standalone units have four legs. The legs for elevated units are installed in the field.

Glides

All units come standard with adjustable glides, allowing for 3/4" adjustment.

Upholstery Details

- Standard units feature a top-edge seam and are designed to be flush side to side.
- Armless End and Arm units have a roll-style seam at the exposed end of a layout.
- Units 46" and larger include a middle seam.
- Luna offers a dual upholstery option.

Use


Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: PRODUCT INFORMATION, POWER



and gray.

Hardwire only available in Standard Power

PRODUCT INFORMATION

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Default cord lengths are 10 feet, with custom lengths available. Additional power options include daisy chain and wireless surface mount charging. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5′, 10′, and 15′ standard lengths with a 3-prong plug.

Mounting Options

Under mount power is designated by (U) in the model code. Flush mount power is designated by (F) in the model code.

Cord Length

Both the standard cord and the conduit whip are 10ft long. Other lengths are available as a custom order.

Colors

Under mount power units are offered in black (B), gray (G), and white (W), while flush mount power units are available in black (B) and gray (G).

Cable Management

All elevated units include cable mounts and screws for assembly and installation. Power units come with wire management clips for every 1-foot length of cord.

For plinth units against a wall, the rear-side toe kick can be removed to allow for cord egress.

For plinth units not against a wall, the unit may be raised up by extending the glides or the installer may cut a small mouse hole in the toe kick. See assembly instructions for more information.

Location


On elevated units, the power is located under the front edge, next to the leg. For plinth units, the power is flush to the front, positioned 8" on center from the side of the unit. However, for arm and armless units, the power is located 16" on center from that side. Units with a tapered front (Arm and Armless) under 45" in length cannot have power on the same side as the arm feature. For units 46" and longer, both left and right power options are available. Units with two arms under 45" in length cannot have power, and power is not available for corner or endcap units.

Example

UB1 - Under mount, black, position 1

FHB12 - Flush mount, hardwired, black, positions 1 & 2

SPECIFICATION GUIDE: PRODUCT INFORMATION, DAISY CHAIN POWER



1. Power System

Luna Power System

LNPSBSU	DAISY CHAIN INFEED UNDER MOUNT (ELEVATED)	+202
LNPSBSF	DAISY CHAIN INFEED FLUSH MOUNT (PLINTH)	+223

2. Jumpers



JUMPER, UNDER MOUNT (ELEVATED)	+4
JUMPER, FLUSH MOUNT (PLINTH)	+6
JUMPER EXTENSION	+14

Duplicate this charge based on the quantity of jumpers required.

PRODUCT INFORMATION

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Default cord lengths are 10 feet, with custom lengths available. Additional power options include daisy chain and wireless surface mount charging. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5', 10', and 15' standard lengths with a 3-prong plug.

Mounting Options

Under mount power is designated by (U) in the model code. Flush mount power is designated by (F) in the model code.

Cord Length

Both the standard cord and the conduit whip are 10ft long. Other lengths are available as a custom order.

Colors

Under-mount power units are offered in black (B), gray (G), and white (W), while flush-mount power units are available in black (B) and gray (G).

Cable Management

All elevated units include cable mounts and screws for assembly and installation. Power units come with wire management clips for every 1-foot length of cord.

For plinth units against a wall, the rear-side toe kick can be removed to allow for cord egress.

For plinth units not against a wall, the unit may be raised up by extending the glides or the installer may cut a small mouse hole in the toe kick. See assembly instructions for more information.

Location

On elevated units, the power is located under the front edge, next to the leg. For plinth units, the power is flush to the front, positioned 8" on center from the side of the unit. However, for arm and armless units, the power is located 16" on center from that side. Units with a tapered front (Arm and Armless) under 45" in length cannot have power on the same side as the arm feature. For units 46" and longer, both left and right power options are available. Units with two arms under 45" in length cannot have power, and power is not available for corner or endcap

Order Entry

Please get in touch with designapplication@stylexdesign.com. CET is required for order entry to determine jumper lengths and system configuration. All daisy chain units are entered under 1 line.

SPECIFICATION GUIDE: DIMENSIONS, SEATING

OVERVIEW	OVERVIEW		ELEVATED & PLINTH SEATING								
Dimensions A. Overall Width B. Overall Depth C1. Overall Height Low Back C2. Overall Height High Back D. Seat Width E. Seat Depth F. Seat Height G. Leg Height H1. Back Height Low Back H2. Back Height High Back Back and seat dimensions are based on compressed, seated dimensions. Elevated seating available		Standard A. 25 - 60 B. 25 C1. 31 C2. 38 D. 25 - 60 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	ATING Arm Left/Right A. 25 - 60 B. 25 C1. 31 C2. 38 D. 18 - 53 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Arm Both A. 30 - 60 B. 25 C1. 31 C2. 38 D. 16 - 46 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Armless End Left/Right A. 25 - 60 B. 25 C1. 31 C2. 38 D. 25 - 60 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round Inside Corner A. 25 B. 25 C1. 31 C2. 38 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Square Inside Corner A. 25 B. 25 C1. 31 C2. 38 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round Outside Corner A. 25 B. 25 C1. 31 C2. 38 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round End Cap A. 50 - 75 B. 25 C1. 31 C2. 38 D. 50 - 75 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75		
without legs for customer's own millwork. Arm Choice A. Arm Width B. Arm Depth			Arm Left/Right A. 7 B. 9	Arm Both A. 7 B. 9							

SPECIFICATION GUIDE: DIMENSIONS, PLANTERS, TRAYS, TABLET

OVERVIEW	PLANTERS, FOR LOW BACK		PLANTERS, FOR HIGH BACK		
Dimensions A. Width B. Depth C. Height	Single A. 15 B. 15 C. 31	Double A. 30 B. 15 C. 31	Single A. 15 B. 15 C. 38	Double A. 15 B. 15 C. 38	
A. Interior HeightB. Interior Width (Top)C. Interior Width (Bottom)	Planter Liner A. 11.5 B. 12.5 C. 11.5				
A. Diameter B. Height Above Seat	Round Tray Table A. 13 B. 2.5	Tablet Arm, Under Mount A. 14 B. 8.5	Tablet Arm, Seat Mount A. 14 B. 8.5		
A. Width B. Depth C. Height Above Seat	Wireless Charging Tray A. 8 B. 13 C. 3				

SPECIFICATION GUIDE: HOW TO ORDER, SEATING, ELEVATED

MODEL CODE BREAKDOWN Sample Model Code: LNE21L27DFSBBLUB12COM 1. Series 2. Type 3. Unit 4. Back Height 5. Length **6. Upholstery Options** 7. Position 8. Layout Options 9. Leg Finish 10. Options 11. Upholstery DF BL **UB12** B **Standard Powder Coated Metal** Series Unit **Back Height** Width **Position Layout Options Power Options Textile Grades** Type **Upholstery Options** F FREESTANDING B BACK-TO-BACK U___ UNDER MOUNT LN LUNA E ELEVATED 11 STANDARD H HIGH BACK XX **CUSTOM LENGTH** BL BLUE DF DUAL UPHOLSTERY 21 ARM LEFT L LOW BACK WIDTH (CORNERS) S START BM BLACK MATTE _B_ _ BLACK GRADE A M MID 22 ARM RIGHT Back-to-back not available CP CHAMPAGNE _G_ _ GRAY GRADE B on mid units. E END 23 ARM BOTH DB DARK BRONZE _W__ WHITE GRADE C ARMLESS END LEFT NL NO LEGS DG DARK GRAY _ H_ HARDWIRE GRADE D 31 Units available by the inch End units with arms cannot _ _ _ 1 POSITION 1 (LEFT) ARMLESS END RIGHT DP DUSTY PINK GRADE E between 25 - 60" gang back-to-back via • 11 - STANDARD 41 ROUND INSIDE CORNER DS DARK SAGE _ _ _2 POSITION 2 (RIGHT) GRADE F mid leg on the same side 21 - ARM LEFT 42 SQUARE INSIDE CORNER as the arm feature. LG LIGHT GRAY GRADE G • 22 - ARM RIGHT 51 ROUND OUTSIDE CORNER LL LILAC GRAY GRADE H See power ordering • 31 - ARMLESS LEFT 52 ROUND END CAP LP LIGHT PISTACHIO options and rules. GRADE I 32 - ARMLESS RIGHT LR LIPSTICK RED **GRADE J Accessory Attachment** MB MIDNIGHT BLUE GRADE K TRAY/TABLET ARM Units available by the inch MG MEADOW GREEN GRADE L ATTACHED TO UNIT between 30 - 60" MK MILK GRADE M 23 - ARM BOTH MS METALLIC SILVER Accessory (tray table / tablet arm) Note: Select highest grade in the case NK NICKEL attached to right side of seat unit. of dual upholstery Units available by the inch OC OCHRE Not applicable for undermount between 50 - 75"

Units required to be 25"

• 52 - ROUND END CAP

- 41 ROUND INSIDE CORNER
- 42 SQUARE INSIDE CORNER
- 51 ROUND OUTSIDE CORNER

Please note that arm both (23) units have a minimum width of 30" to ensure adequate seating width between the arms.

PY PALE YELLOW

tablet arms.

Please note that the table tray

is a separate line item that

accommodate a table tray.

must still be ordered. The 'T'

designator above only indicates

that the seat unit is configured to

RO RED ORANGE

RR RUSTY RED

SB SOFT BLUE

SD SAND TC TERRACOTTA

TP TAUPE

Other

AL POLISHED ALUMINUM

COM CUSTOMER'S OWN MATERIAL

SPECIFICATION GUIDE: HOW TO ORDER, SEATING, PLINTH

MODEL CODE BREAKDOWN Sample Model Code: LNP21L27DFSBLM05FB12COM 5. Length 1. Series 2. Type 3. Unit 4. Back Height **6. Upholstery Options** 7. Position 8. Layout Options 9. Plinth Finish 10. Options 11. Upholstery **LM05** DF **UB12** P B **Back Height** Width **Textile Grades** Series Unit **Position Layout Options Plinth Toe Kick Finish Power Options** Type LN LUNA 11 STANDARD **CUSTOM LENGTH Upholstery Options** B BACK-TO-BACK P PLINTH H HIGH BACK XX F FREESTANDING LM05 DOVE GRAY F_ _ FLUSH MOUNT DF DUAL UPHOLSTERY 21 ARM LEFT L LOW BACK WIDTH (CORNERS) S START LM09 BLACK _B_ _ BLACK GRADE A _G_ _ GRAY M MID **GRADE B** 22 ARM RIGHT Back-to-back not available LM14 WALNUT HEIGHTS on mid units. E END 23 ARM BOTH LM18 CASTLE OAK _ H_ HARDWIRE GRADE C _ _ 1 POSITION 1 (LEFT) 31 ARMLESS END LEFT NL NO LEGS GRADE D Units available by the inch End units with arms cannot _ _ _2 POSITION 2 (RIGHT) 32 ARMLESS END RIGHT GRADE E between 25 - 60" gang back-to-back via 11 - STANDARD 41 ROUND INSIDE CORNER GRADE F mid leg on the same side 21 - ARM LEFT 42 SQUARE INSIDE CORNER as the arm feature. See power ordering GRADE G 22 - ARM RIGHT options and rules. 51 ROUND OUTSIDE CORNER GRADE H 31 - ARMLESS LEFT 52 ROUND END CAP GRADE I • 32 - ARMLESS RIGHT **Accessory Attachment GRADE J** TRAY/TABLET ARM GRADE K ATTACHED TO UNIT Units available by the inch GRADE L between 30 - 60" GRADE M 23 - ARM BOTH Accessory (tray table / tablet arm) attached to right side of seat unit. Note: Select highest grade in the case Not applicable for undermount Units available by the inch

Units required to be 25"

• 52 - ROUND END CAP

between 50 - 75"

- 41 ROUND INSIDE CORNER
- 42 SQUARE INSIDE CORNER
- 51 ROUND OUTSIDE CORNER

Please note that arm both (23) units have a minimum width of 30" to ensure adequate seating width between the arms.

tablet arms

COM CUSTOMER'S OWN MATERIAL

of dual upholstery

SPECIFICATION GUIDE: HOW TO ORDER, TRAY AND TABLET

MODEL CODE BREAKDOWN

Sample Model Code: LNE72SW81BM

2. Type

LN 72

Series T

LN LUNA

1. Series

Type

71 ROUND TRAY TABLE

72 WIRELESS CHARGING TRAY

75 TABLET ARM, UNDER MOUNT SINGLE SWIVEL

76 TABLET ARM, UNDER MOUNT DUAL SWIVEL

77 TABLET ARM, SEAT MOUNT SINGLE SWIVEL

78 TABLET ARM, SEAT MOUNT DUAL SWIVEL

SW81

Wood Finish

3. Top Finish

SW81 WHITE OAK

SW83 MAPLE

SW85 WALNUT

SW87 OPAQUE BLACK

Not applicable for Round Table Tray

BM

4. Finish

Standard Powder Coated Metal

BL BLUE

BM BLACK MATTE

CP CHAMPAGNE

DB DARK BRONZE

DG DARK GRAY

DP DUSTY PINK

DS DARK SAGE

LG LIGHT GRAY
LL LILAC GRAY

LP LIGHT PISTACHIO

LR LIPSTICK RED

MB MIDNIGHT BLUE

MG MEADOW GREEN

MK MILK

MS METALLIC SILVER

NK NICKEL

OC OCHRE

PY PALE YELLOW

RO RED ORANGE

RR RUSTY RED

SB SOFT BLUE

SD SAND

TC TERRACOTTA

TP TAUPE

Not applicable for Wireless Charging Tray

MODEL CODE BREAKDOWN

Sample Model Code: LN6P2ABLM09

1. Series 2. Unit 3. Type 4. Application 4. Planter Height

LN OF

SeriesUnitLN LUNA6P PLANTER

2

Type 1 SINGLE

2 DOUBLE

N

ApplicationA ENCLOSEDB EXPOSED

Enclosed planters (A) are not designed to be exposed, they must be surrounded by seating units. They utilize a butt-joint construction. Exposed planters (B) can be specified in any application and use a miter-joint construction.

<u>LB</u>

Back Height
LB LOW BACK
HB HIGH BACK

LM09

Finish

5. Finish

LM05 DOVE GRAY

LM09 BLACK

LM14 WALNUT HEIGHTS

LM18 CASTLE OAK


WV46 NATURAL FLAT CUT WALNUT

WV48 NATURAL WHITE OAK

Black Laminate, LM09 is the only available planter finish for Enclosed planters.

COLORS, MATERIALS, AND FINISHES

POWDER COATED METAL



SOLID WOOD



LAMINATE




WOOD VENEER





ELEVATED: STANDARD

							Yarda	ge Requii	ements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Standard, Low Back	25-30in Wide	LN	E	11	L	25-30W x 25D x 31H	1	1.3	2.2	2,082	2,241	2,331	2,419	2,508	2,598	2,696	2,791	2,907	3,045	3,206	3,377	3,542	3,701
	31-35in Wide	LN	E	11	L	31-35W x 25D x 31H	1.3	1.4	2.6	2,293	2,476	2,579	2,681	2,783	2,887	2,999	3,109	3,242	3,400	3,586	3,782	3,972	4,156
	36-40in Wide	LN	E	11	L	36-40W x 25D x 31H	1.4	1.6	2.8	2,504	2,704	2,815	2,926	3,037	3,149	3,272	3,390	3,535	3,708	3,909	4,123	4,328	4,528
	41-45in Wide	LN	E	11	L	41-45W x 25D x 31H	1.5	1.7	3.1	2,715	2,938	3,064	3,187	3,312	3,437	3,574	3,708	3,870	4,063	4,289	4,528	4,759	4,983
	46-50in Wide	LN	E	11	L	46-50W x 25D x 31H	1.7	1.9	3.5	2,927	3,173	3,312	3,449	3,587	3,726	3,878	4,026	4,205	4,418	4,670	4,934	5,189	5,436
	51-55in Wide	LN	E	11	L	51-55W x 25D x 31H	1.8	2	3.8	3,138	3,408	3,561	3,711	3,863	4,014	4,181	4,343	4,540	4,774	5,049	5,338	5,619	5,891
	56-60in Wide	LN	E	11	L	56-60W x 25D x 31H	2	2.2	4.1	3,349	3,643	3,810	3,972	4,137	4,304	4,484	4,660	4,874	5,129	5,429	5,744	6,049	6,344
Elevated, Standard, High Back	25-30in Wide	LN	E	11	Н	25-30W x 25D x 38H	1	2.1	3	2,203	2,418	2,539	2,657	2,778	2,900	3,032	3,160	3,316	3,502	3,720	3,951	4,174	4,389
<u>~</u>	31-35in Wide	LN	Е	11	Н	31-35W x 25D x 38H	1.3	2.4	3.5	2,420	2,667	2,806	2,942	3,080	3,220	3,372	3,519	3,698	3,911	4,163	4,427	4,682	4,930
	36-40in Wide	LN	E	11	Н	36-40W x 25D x 38H	1.4	2.7	4	2,636	2,923	3,085	3,243	3,404	3,565	3,741	3,912	4,120	4,369	4,660	4,967	5,263	5,550
	41-45in Wide	LN	E	11	Н	41-45W x 25D x 38H	1.5	3	4.4	2,853	3,171	3,350	3,527	3,704	3,884	4,080	4,270	4,501	4,778	5,101	5,442	5,772	6,091
	46-50in Wide	LN	E	11	Н	46-50W x 25D x 38H	1.7	2.7	4.3	3,070	3,380	3,555	3,726	3,901	4,076	4,267	4,452	4,678	4,946	5,262	5,595	5,917	6,228
	51-55in Wide	LN	E	11	Н	51-55W x 25D x 38H	1.8	3	4.7	3,286	3,620	3,808	3,994	4,181	4,369	4,575	4,775	5,018	5,307	5,647	6,005	6,351	6,686
I	56-60in Wide	LN	E	11	Н	56-60W x 25D x 38H	2	3.2	5.1	3,503	3,869	4,075	4,278	4,482	4,689	4,914	5,133	5,399	5,716	6,088	6,480	6,860	7,227



MB

MIDNIGHT BLUE

Polished Metal

AL POLISHED ALUMINUM

TP TAUPE

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above

only indicates that the seat unit is configured to accommodate a table

tray.

ELEVATED: ARM LEFT OR RIGHT

							Yarda	ge Requi	rements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Arm Left/Right, Low Back	25-30in Wide	LN	E	21/22	L	25-30W x 25D x 31H	1.3	1.4	2.6	2,573	2,756	2,859	2,961	3,063	3,167	3,279	3,388	3,521	3,680	3,866	4,062	4,252	4,436
	31-35in Wide	LN	E	21/22	L	31-35W x 25D x 31H	1.5	1.6	2.9	2,786	2,993	3,110	3,224	3,340	3,457	3,584	3,708	3,858	4,037	4,247	4,470	4,684	4,891
	36-40in Wide	LN	Е	21/22	L	36-40W x 25D x 31H	1.6	1.7	3.2	2,999	3,230	3,360	3,488	3,617	3,747	3,890	4,027	4,195	4,395	4,629	4,877	5,116	5,348
	41-45in Wide	LN	E	21/22	L	41-45W x 25D x 31H	1.6	1.9	3.3	3,213	3,459	3,598	3,735	3,873	4,012	4,164	4,312	4,491	4,704	4,956	5,220	5,475	5,722
	46-50in Wide	LN	E	21/22	L	46-50W x 25D x 31H	1.7	1.9	3.5	3,426	3,665	3,799	3,931	4,065	4,200	4,346	4,490	4,662	4,869	5,112	5,367	5,615	5,854
	51-55in Wide	LN	E	21/22	L	51-55W x 25D x 31H	1.7	2	3.6	3,639	3,894	4,037	4,178	4,321	4,465	4,621	4,774	4,958	5,179	5,438	5,711	5,975	6,230
	56-60in Wide	LN	E	21/22	L	56-60W x 25D x 31H	1.8	2.1	3.9	3,851	4,130	4,287	4,441	4,597	4,754	4,925	5,092	5,294	5,535	5,819	6,117	6,405	6,684
Elevated, Arm Left/Right, High Back	25-30in Wide	LN	E	21/22	Н	25-30W x 25D x 38H	1.3	1.8	3	2,782	2,997	3,118	3,236	3,357	3,479	3,611	3,739	3,895	4,081	4,299	4,530	4,753	4,968
men's	31-35in Wide	LN	E	21/22	Н	31-35W x 25D x 38H	1.5	2.1	3.5	3,001	3,248	3,387	3,524	3,662	3,801	3,953	4,101	4,280	4,493	4,744	5,009	5,263	5,511
	36-40in Wide	LN	Е	21/22	Н	36-40W x 25D x 38H	1.6	2.4	3.9	3,220	3,499	3,656	3,810	3,966	4,123	4,294	4,461	4,662	4,904	5,188	5,486	5,774	6,053
	41-45in Wide	LN	E	21/22	Н	41-45W x 25D x 38H	1.7	2.7	4.3	3,438	3,748	3,923	4,094	4,269	4,444	4,635	4,820	5,046	5,314	5,631	5,963	6,285	6,596
	46-50in Wide	LN	E	21/22	Н	46-50W x 25D x 38H	1.6	2.2	3.7	3,657	3,920	4,067	4,212	4,360	4,507	4,670	4,827	5,017	5,245	5,512	5,793	6,065	6,328
	51-55in Wide	LN	Е	21/22	Н	51-55W x 25D x 38H	1.7	2.4	4	3,875	4,162	4,323	4,481	4,643	4,804	4,980	5,151	5,359	5,608	5,899	6,206	6,502	6,789
	56-60in Wide	LN	E	21/22	Н	56-60W x 25D x 38H	1.8	2.6	4.3	4,093	4,403	4,578	4,750	4,924	5,099	5,290	5,476	5,701	5,970	6,286	6,619	6,940	7,251

To Order Select Below 4. Upholstery Options 5. Postion 8. Upholstery 2. Back Height 3. Length 7. Options 1. Series/Type/Unit 6. Leg Finish **Position Back Height Upholstery Options** Length **Standard Powder Coated Metal Power Options** LUNA ELEVATED DUAL UPHOLSTERY FREESTANDING See <u>under mount power</u> HIGH BACK XX LENGTH BL BLUE MG MEADOW GREEN LNE21 ARM LEFT ordering options and START LOW BACK **BLACK MATTE** MK MILK Available in 25-60" LUNA ELEVATED <u>rules.</u> END CP CHAMPAGNE MS METALLIC SILVER LNE22 ARM RIGHT NLNO LEGS DARK BRONZE NK NICKEL COM **Accessory Attachment** Elevated Arm Right shown DG OCHRE DARK GRAY OC information. TRAY/TABLET ARM DP **DUSTY PINK** PALE YELLOW ATTACHED TO UNIT DS **RED ORANGE** DARK SAGE LG LIGHT GRAY RR **RUSTY RED** Accessory attaches to right side of LILAC GRAY SB SOFT BLUE seat unit. Trays and tablet arm seat LIGHT PISTACHIO SD mount units can only be used between SAND units. Not available on Arm Right Units. LR LIPSTICK RED TC TERRACOTTA

See general <u>information</u> <u>section</u> for details on textile program and

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table tray. .

MB MIDNIGHT BLUE

Polished Metal


AL POLISHED ALUMINUM

TP

TAUPE



							Yarda	ge Requir	ements	Textile (Jpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	A	В	С	D	E	F	G	Н	1	J	K	L	М
Elevated, Arm Both, Low Back	30-35in Wide	LN	E	23	L	30-35W x 25D x 31H	1.7	1.9	3.5	3,227	3,474	3,613	3,749	3,888	4,027	4,179	4,326	4,505	4,718	4,970	5,234	5,489	5,737
	36-40in Wide	LN	Е	23	L	36-40W x 25D x 31H	1.8	2	3.8	3,443	3,714	3,867	4,016	4,168	4,320	4,487	4,649	4,845	5,079	5,355	5,644	5,925	6,196
	41-45in Wide	LN	E	23	L	41-45W x 25D x 31H	2	2.2	4.1	3,660	3,954	4,120	4,283	4,448	4,614	4,795	4,971	5,185	5,440	5,740	6,055	6,360	6,655
	46-50in Wide	LN	E	23	L	46-50W x 25D x 31H	1.6	2.1	3.6	3,876	4,131	4,274	4,415	4,558	4,702	4,858	5,011	5,195	5,416	5,675	5,948	6,212	6,467
	51-55in Wide	LN	Е	23	L	51-55W x 25D x 31H	1.7	2.2	3.9	4,092	4,371	4,528	4,682	4,838	4,995	5,167	5,333	5,535	5,776	6,060	6,359	6,647	6,925
	56-60in Wide	LN	Е	23	L	56-60W x 25D x 31H	1.8	2.4	4.1	4,309	4,603	4,769	4,932	5,097	5,263	5,444	5,620	5,834	6,089	6,389	6,704	7,009	7,304
Elevated, Arm Both, High Back	30-35in Wide	LN	Е	23	Н	30-35W x 25D x 38H	1.7	2	3.7	3,526	3,789	3,936	4,081	4,229	4,376	4,539	4,696	4,886	5,114	5,381	5,662	5,934	6,197
	36-40in Wide	LN	E	23	Н	36-40W x 25D x 38H	1.8	2.2	4	3,747	4,034	4,195	4,353	4,515	4,676	4,852	5,023	5,231	5,480	5,771	6,078	6,374	6,661
	41-45in Wide	LN	Е	23	Н	41-45W x 25D x 38H	2	2.4	4.3	3,970	4,280	4,454	4,626	4,801	4,975	5,167	5,352	5,578	5,846	6,162	6,495	6,816	7,127
	46-50in Wide	LN	Е	23	Н	46-50W x 25D x 38H	1.6	2.6	4	4,191	4,478	4,639	4,798	4,959	5,120	5,296	5,467	5,675	5,924	6,215	6,522	6,818	7,105
	51-55in Wide	LN	E	23	Н	51-55W x 25D x 38H	1.7	2.8	4.3	4,414	4,724	4,898	5,070	5,245	5,419	5,611	5,796	6,022	6,290	6,606	6,939	7,260	7,571
	56-60in Wide	LN	Е	23	Н	56-60W x 25D x 38H	1.8	2.9	4.7	4,635	4,969	5,157	5,342	5,530	5,718	5,924	6,124	6,367	6,656	6,996	7,354	7,700	8,035



MB MIDNIGHT BLUE


Polished Metal

AL POLISHED ALUMINUM

TP TAUPE

ELEVATED: ARMLESS LEFT OR RIGHT

		Yardaç	ge Requi	rements	Textile U	pholstery	Grades																
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	М
Elevated, Armless End Left/Right, Low Back	25-30in Wide	LN	Е	31/32	L	25-30W x 25D x 31H	1.3	1.3	2.5	2,204	2,380	2,477	2,574	2,673	2,772	2,879	2,984	3,111	3,262	3,440	3,629	3,810	3,985
	31-35in Wide	LN	Е	31/32	L	31-35W x 25D x 31H	1.5	1.4	2.8	2,415	2,615	2,726	2,836	2,947	3,060	3,182	3,301	3,446	3,618	3,820	4,033	4,239	4,439
and the second of the second o	36-40in Wide	LN	E	31/32	L	36-40W x 25D x 31H	1.6	1.6	3.1	2,626	2,849	2,974	3,097	3,223	3,348	3,485	3,618	3,780	3,974	4,200	4,439	4,670	4,893
	41-45in Wide	LN	E	31/32	L	41-45W x 25D x 31H	1.7	1.7	3.3	2,837	3,076	3,210	3,343	3,477	3,611	3,758	3,901	4,074	4,281	4,523	4,779	5,026	5,266
	46-50in Wide	LN	E	31/32	L	46-50W x 25D x 31H	1.7	1.9	3.5	3,048	3,295	3,434	3,570	3,709	3,848	4,000	4,148	4,326	4,540	4,791	5,055	5,310	5,558
	51-55in Wide	LN	E	31/32	L	51-55W x 25D x 31H	1.8	2	3.8	3,259	3,530	3,683	3,832	3,984	4,136	4,302	4,465	4,661	4,895	5,171	5,460	5,741	6,012
	56-60in Wide	LN	Е	31/32	L	56-60W x 25D x 31H	2	2.1	4.1	3,470	3,765	3,931	4,093	4,259	4,425	4,606	4,782	4,996	5,251	5,550	5,866	6,170	6,466
Elevated, Armless End Left/Right, High	25-30in Wide	LN	E	31/32	Н	25-30W x 25D x 38H	1.3	2.1	3.3	2,330	2,569	2,703	2,835	2,969	3,103	3,250	3,394	3,566	3,773	4,015	4,271	4,519	4,758
**************************************	31-35in Wide	LN	E	31/32	Н	31-35W x 25D x 38H	1.5	2.5	3.8	2,547	2,817	2,970	3,120	3,272	3,424	3,590	3,752	3,949	4,183	4,458	4,748	5,028	5,300
A contraction of the contraction	36-40in Wide	LN	E	31/32	Н	36-40W x 25D x 38H	1.6	2.8	4.3	2,763	3,073	3,248	3,420	3,594	3,769	3,960	4,145	4,371	4,639	4,956	5,288	5,610	5,921
	41-45in Wide	LN	E	31/32	Н	41-45W x 25D x 38H	1.7	3.1	4.8	2,980	3,322	3,514	3,703	3,896	4,088	4,299	4,503	4,752	5,048	5,397	5,763	6,117	6,460
	46-50in Wide	LN	E	31/32	Н	46-50W x 25D x 38H	1.7	2.7	4.2	3,197	3,500	3,669	3,837	4,006	4,177	4,363	4,544	4,763	5,025	5,333	5,657	5,971	6,273
	51-55in Wide	LN	E	31/32	Н	51-55W x 25D x 38H	1.8	2.9	4.7	3,413	3,747	3,935	4,120	4,308	4,496	4,702	4,902	5,145	5,434	5,774	6,132	6,478	6,813
	56-60in Wide	LN	Е	31/32	Н	56-60W x 25D x 38H	2	3.1	5	3,630	3,987	4,189	4,388	4,588	4,790	5,011	5,225	5,485	5,795	6,159	6,543	6,914	7,273
To Order Select Below																							
1. Series/Type/Unit 2. Back Heigh	nt	3. Width			4. Upholstery O	ptions 5.	Postion			6. Layout	Options		7. Leg Fi	nish					8. Opt	ions		9. Սլ	oholstery



22

MB

MIDNIGHT BLUE

Polished Metal

AL POLISHED ALUMINUM

TP TAUPE

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above

only indicates that the seat unit is configured to accommodate a table

tray.

Lunc

ELEVATED: ROUND INSIDE CORNER

							Yardag	je Requii	rements	Textile U	Jpholstery	/ Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Round Inside Corner, Low Back	25	LN	Е	41	L	25W x 25D x 31H	0.8	1.7	2.4	2,328	2,495	2,589	2,681	2,775	2,869	2,972	3,072	3,194	3,338	3,508	3,687	3,860	4,028
Elevated, Round Inside Corner, High Back	25	LN	Е	41	Н	25W x 25D x 38H	0.8	2.6	3.2	2,551	2,782	2,912	3,040	3,169	3,299	3,441	3,579	3,747	3,947	4,181	4,428	4,668	4,899

1. Series/Type/Unit

Round Inside Corner

To Order Select Below

LNE41

Luna

Elevated

2. Back Height

Back Height

HIGH BACK

LOW BACK

3. W

3. Width

25 WIDTH

Width

Upholstery Options DF DUAL UPHOLSTERY

4. Upholstery Options

Options

M MID
NO LEGS

Position

5. Postion

6. Leg Finish



Standard Powder Coated Metal

BL	BLUE
ВМ	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED

MK MILK

MS METALLIC SILVER

NK NICKEL

OC OCHRE

PY PALE YELLOW

RO RED ORANGE

RR RUSTY RED

SB SOFT BLUE

SD SAND

TC TERRACOTTA

TP TAUPE

MG MEADOW GREEN

Polished Metal

MB MIDNIGHT BLUE

AL POLISHED ALUMINUM

7. Upholstery

See general

information
section
for details
on textile
program and

COM information

Lunc

ELEVATED: SQUARE INSIDE CORNER

							Yardag	je Requii	rements	Textile U	Ipholstery	/ Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Elevated, Square Inside Corner, Low Back	25	LN	E	42	L	25W x 25D x 31H	0.8	1.7	2.4	2,296	2,464	2,557	2,650	2,744	2,838	2,941	3,041	3,163	3,307	3,477	3,656	3,829	3,997
Elevated, Square Inside Corner, High Back	25	LN	E	42	Н	25W x 25D x 38H	0.8	2.7	3.3	2,459	2,698	2,832	2,964	3,098	3,232	3,379	3,522	3,695	3,902	4,144	4,400	4,648	4,887
To Order Select Below		'	1	'	•		1	1		1	'		•		'	'	•		1		'	'	'

1. Series/Type/Unit 2. Back Height 4. Upholstery Options 5. Postion 7. Upholstery 3. Width 6. Leg Finish **Upholstery Options Position Back Height** Width **Standard Powder Coated Metal** See general <u>information</u> DF DUAL UPHOLSTERY M MID HIGH BACK LNE42 25 WIDTH BL MG MEADOW GREEN BLUE <u>section</u> NO LEGS for details LOW BACK BM **BLACK MATTE** MK MILK Luna on textile **Elevated** CP CHAMPAGNE MS METALLIC SILVER program and **Square Inside Corner** DARK BRONZE NK NICKEL COM

LR LIPSTICK RED TC TERRACOTTA

MB MIDNIGHT BLUE TP TAUPE

Polished Metal

AL POLISHED ALUMINUM

OCHRE

PALE YELLOW

RED ORANGE

RUSTY RED

SOFT BLUE

SAND

information

OC

SB

SD

DG

DP

DS

LG

DARK GRAY

DUSTY PINK

DARK SAGE

LIGHT GRAY


LILAC GRAY

LP LIGHT PISTACHIO

Lunc

ELEVATED: ROUND OUTSIDE CORNER

							Yardag	ge Requir	ements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	ı	J	K	L	M
Elevated, Round Outside Corner, Low Back	25	LN	Е	51	L	25W x 25D x 31H	1.4	0.5	1.8	1,510	1,638	1,710	1,779	1,851	1,923	2,001	2,078	2,169	2,281	2,410	2,546	2,678	2,806
Elevated, Round Outside Corner, High Back	25	LN	Е	51	Н	25W x 25D x 38H	1.4	0.5	1.8	1,626	1,753	1,825	1,895	1,967	2,038	2,116	2,193	2,285	2,396	2,525	2,661	2,793	2,921





ELEVATED: ROUND END CAP

							Yarda	ge Requir	ements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	ı	J	K	L	M
Elevated, Round End Cap, Low Back	50-55in Wide	LN	E	52	L	50-55W x 25D x 31H	1.9	0.7	2.6	2,973	3,156	3,259	3,361	3,463	3,567	3,680	3,789	3,922	4,080	4,266	4,463	4,652	4,836
	56-60in Wide	LN	Е	52	L	56-60W x 25D x 31H	1.9	0.8	2.7	3,093	3,284	3,391	3,498	3,605	3,712	3,829	3,944	4,082	4,248	4,442	4,647	4,844	5,036
	61-65in Wide	LN	E	52	L	61-65W x 25D x 31H	2	1	3	3,212	3,427	3,547	3,666	3,787	3,908	4,040	4,168	4,324	4,510	4,729	4,960	5,182	5,398
	66-70in Wide	LN	E	52	L	66-70W x 25D x 31H	2.1	1.1	3.2	3,331	3,562	3,692	3,820	3,949	4,079	4,221	4,359	4,527	4,727	4,961	5,208	5,448	5,679
	71-75in Wide	LN	E	52	L	71-75W x 25D x 31H	2.2	1.4	3.6	3,450	3,704	3,848	3,988	4,132	4,275	4,431	4,584	4,768	4,990	5,249	5,521	5,786	6,040
Elevated, Round End Cap, High Back	50-55in Wide	LN	E	52	Н	50-55W x 25D x 38H	1.9	0.9	2.8	3,059	3,258	3,370	3,480	3,591	3,703	3,826	3,945	4,089	4,262	4,464	4,677	4,883	5,082
The state of the s	56-60in Wide	LN	E	52	Н	56-60W x 25D x 38H	1.9	1	2.9	3,174	3,381	3,498	3,612	3,728	3,845	3,972	4,096	4,246	4,425	4,635	4,858	5,072	5,279
	61-65in Wide	LN	E	52	Н	61-65W x 25D x 38H	2	1.4	3.3	3,291	3,530	3,664	3,796	3,930	4,064	4,211	4,354	4,527	4,734	4,976	5,232	5,480	5,719
	66-70in Wide	LN	Е	52	Н	66-70W x 25D x 38H	2.1	1.6	3.7	3,406	3,669	3,817	3,961	4,109	4,257	4,419	4,576	4,766	4,994	5,261	5,542	5,815	6,078
µ и	71-75in Wide	LN	E	52	Н	71-75W x 25D x 38H	2.2	1.9	4.1	3,521	3,816	3,982	4,144	4,310	4,476	4,657	4,833	5,047	5,302	5,601	5,917	6,221	6,517

6. Leg Finish

1. Series/Type/Unit 3. Width 4. Upholstery Options 5. Postion 2. Back Height **Upholstery Options** Width **Position Back Height** LNE52 M MID HIGH BACK XX WIDTH DUAL UPHOLSTERY NO LEGS LOW BACK Luna Available in 50-75" **Elevated Round End Cap** 65" is for wrapping around

planters.

To Order Select Below





ordered. The 'T' designator above

only indicates that the seat unit is

tray.

configured to accommodate a table

7. Options

See general information section for details on textile program and COM information

8. Upholstery



							Yarda	ge Requi	rements	Textile \	lphoistery (Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Standard, Low Back	25-30in Wide	LN	Р	11	L	25-30W x 25D x 31H	1.7	1.5	3	2,617	2,832	2,953	3,071	3,192	3,313	3,446	3,573	3,729	3,916	4,134	4,365	4,587	4,803
	31-35in Wide	LN	Р	11	L	31-35W x 25D x 31H	1.8	1.6	3.3	2,807	3,046	3,180	3,312	3,447	3,581	3,727	3,871	4,044	4,250	4,493	4,749	4,996	5,235
	36-40in Wide	LN	Р	11	L	36-40W x 25D x 31H	1.9	1.8	3.7	2,997	3,260	3,408	3,553	3,700	3,848	4,010	4,167	4,358	4,585	4,853	5,133	5,406	5,669
	41-45in Wide	LN	Р	11	L	41-45W x 25D x 31H	2.1	1.9	4	3,188	3,475	3,636	3,794	3,955	4,116	4,292	4,464	4,672	4,920	5,211	5,518	5,815	6,102
	46-50in Wide	LN	Р	11	L	46-50W x 25D x 31H	2.2	2.1	4.2	3,378	3,681	3,850	4,018	4,187	4,358	4,544	4,725	4,944	5,206	5,514	5,838	6,152	6,454
	51-55in Wide	LN	P	11	L	51-55W x 25D x 31H	2.5	2.2	4.6	3,568	3,895	4,078	4,259	4,442	4,626	4,827	5,021	5,258	5,541	5,873	6,222	6,560	6,887
	56-60in Wide	LN	Р	11	L	56-60W x 25D x 31H	2.6	2.5	4.9	3,759	4,109	4,306	4,499	4,696	4,893	5,108	5,318	5,572	5,876	6,232	6,607	6,969	7,321
Plinth, Standard, High Back	25-30in Wide	LN	P	11	Н	25-30W x 25D x 38H	1.7	2.4	3.9	2,766	3,045	3,202	3,356	3,512	3,669	3,841	4,007	4,209	4,450	4,734	5,033	5,321	5,599
	31-35in Wide	LN	P	11	Н	31-35W x 25D x 38H	1.8	2.7	4.3	3,006	3,316	3,490	3,662	3,837	4,011	4,203	4,388	4,613	4,882	5,198	5,531	5,852	6,163
A. A. C.	36-40in Wide	LN	Р	11	Н	36-40W x 25D x 38H	1.9	3	4.9	3,245	3,595	3,792	3,985	4,182	4,379	4,595	4,804	5,059	5,362	5,718	6,093	6,455	6,807
	41-45in Wide	LN	P	11	Н	41-45W x 25D x 38H	2.1	3.2	5.3	3,484	3,866	4,081	4,292	4,506	4,722	4,957	5,185	5,462	5,794	6,182	6,592	6,987	7,369
	46-50in Wide	LN	P	11	Н	46-50W x 25D x 38H	2.2	2.9	5.1	3,723	4,089	4,295	4,498	4,703	4,910	5,134	5,354	5,619	5,936	6,309	6,701	7,080	7,447
	51-55in Wide	LN	P	11	Н	51-55W x 25D x 38H	2.5	3.1	5.5	3,962	4,361	4,584	4,804	5,027	5,252	5,496	5,735	6,024	6,368	6,772	7,199	7,611	8,010
	56-60in Wide	LN	Р	11	Н	56-60W x 25D x 38H	2.6	3.3	5.9	4,201	4,622	4,860	5,093	5,330	5,567	5,826	6,079	6,386	6,751	7,179	7,632	8,068	8,491

To Order Select Below 4. Upholstery Options 5. Postion 2. Back Height 3. Length 1. Series/Type/Unit 6. Layout Options 8. Options 9. Upholstery 7. Plinth Finish **Upholstery Options Position Back Height Layout Options** Length **Plinth Finish Power Options** FREESTANDING HIGH BACK DUAL UPHOLSTERY See <u>flush mount power</u> LNP11 XX LENGTH LM05 DOVE GRAY BACK-TO-BACK ordering options and START LOW BACK LM09 BLACK Luna Available in 25-60" Back-to-back not available on <u>rules.</u> Plinth MID LM14 WALNUT HEIGHTS

END

Standard

See <u>general</u> <u>information</u> <u>section</u> for details on textile program and COM information

TRAY/TABLET ARM ATTACHED TO UNIT

Accessory Attachment

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units.

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table tray.

mid units.

LM18 CASTLE OAK

PLINTH: ARM LEFT OR RIGHT

							Yardaç	je Requi	rements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	1	J	K	L	M
Plinth, Arm Left/Right, Low Back	25-30in Wide	LN	Р	21/22	L	25-30W x 25D x 31H	1.5	1.6	3	3,214	3,429	3,550	3,668	3,789	3,910	4,042	4,170	4,326	4,513	4,731	4,962	5,184	5,400
	31-35in Wide	LN	Р	21/22	L	31-35W x 25D x 31H	1.7	1.8	3.3	3,407	3,646	3,780	3,912	4,047	4,181	4,327	4,471	4,644	4,851	5,093	5,349	5,596	5,835
and the second s	36-40in Wide	LN	Р	21/22	L	36-40W x 25D x 31H	1.8	1.9	3.7	3,599	3,863	4,010	4,155	4,302	4,450	4,612	4,769	4,960	5,188	5,455	5,736	6,008	6,271
	41-45in Wide	LN	Р	21/22	L	41-45W x 25D x 31H	1.9	2.1	4	3,792	4,079	4,240	4,398	4,559	4,721	4,896	5,068	5,276	5,524	5,816	6,122	6,419	6,706
	46-50in Wide	LN	Р	21/22	L	46-50W x 25D x 31H	2	2.2	4.1	3,984	4,279	4,445	4,607	4,773	4,939	5,120	5,296	5,510	5,765	6,064	6,379	6,684	6,979
	51-55in Wide	LN	Р	21/22	L	51-55W x 25D x 31H	2.1	2.4	4.4	4,177	4,495	4,674	4,851	5,028	5,208	5,404	5,594	5,825	6,102	6,425	6,766	7,096	7,415
	56-60in Wide	LN	Р	21/22	L	56-60W x 25D x 31H	2.2	2.5	4.7	4,369	4,703	4,891	5,076	5,263	5,452	5,658	5,857	6,101	6,390	6,730	7,088	7,434	7,769
Plinth, Arm Left/Right, High Back	25-30in Wide	LN	Р	21/22	Н	25-30W x 25D x 38H	1.5	2.4	3.7	3,457	3,720	3,868	4,012	4,160	4,308	4,470	4,627	4,817	5,045	5,312	5,593	5,866	6,129
	31-35in Wide	LN	Р	21/22	Н	31-35W x 25D x 38H	1.7	2.6	4.1	3,697	3,992	4,158	4,320	4,486	4,652	4,833	5,009	5,223	5,478	5,777	6,092	6,397	6,692
The second secon	36-40in Wide	LN	Р	21/22	Н	36-40W x 25D x 38H	1.8	2.9	4.6	3,937	4,264	4,447	4,628	4,811	4,995	5,196	5,390	5,627	5,910	6,242	6,592	6,930	7,256
	41-45in Wide	LN	Р	21/22	Н	41-45W x 25D x 38H	1.9	3.2	5.1	4,178	4,544	4,750	4,952	5,157	5,364	5,589	5,808	6,074	6,391	6,763	7,155	7,535	7,902
	46-50in Wide	LN	P	21/22	Н	46-50W x 25D x 38H	2	3.2	5.2	4,418	4,792	5,002	5,209	5,419	5,630	5,859	6,084	6,355	6,679	7,060	7,460	7,848	8,222
	51-55in Wide	LN	P	21/22	Н	51-55W x 25D x 38H	2.1	3.6	5.5	4,658	5,056	5,280	5,500	5,723	5,948	6,192	6,430	6,719	7,064	7,468	7,895	8,306	8,706
	56-60in Wide	LN	Р	21/22	Н	56-60W x 25D x 38H	2.2	3.8	6	4,898	5,328	5,570	5,807	6,049	6,291	6,555	6,812	7,124	7,496	7,933	8,394	8,839	9,270

4. Upholstery Options 5. Postion 2. Back Height 3. Length 1. Series/Type/Unit 8. Options 9. Upholstery 6. Layout Options 7. Plinth Finish **Upholstery Options Position Back Height** Length **Layout Options Plinth Finish Power Options** HIGH BACK LUNA PLINTH FREESTANDING DUAL UPHOLSTERY See <u>flush mount power</u> XX LENGTH BACK-TO-BACK LM05 DOVE GRAY LNP21 ARM LEFT ordering options and START LOW BACK LM09 BLACK Available in 25-60" LUNA PLINTH Back-to-back not available on <u>rules.</u> END LM14 WALNUT HEIGHTS LNP22 ARM RIGHT mid units. LM18 CASTLE OAK Plinth Arm Right shown **Accessory Attachment** information

To Order Select Below

above

See <u>general</u> <u>information</u> <u>section</u> for details on textile program and COM

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units.


TRAY/TABLET ARM ATTACHED TO UNIT

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table tray.



							Yardage Requirements Textile Upholstery Grade																
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	А	В	С	D	E	F	G	Н	I	J	K	L	М
Plinth, Arm Both, Low Back	30-35in Wide	LN	Р	23	L	30-35W x 25D x 31H	1.4	2	3.2	4,115	4,346	4,476	4,604	4,733	4,863	5,006	5,143	5,311	5,511	5,745	5,992	6,232	6,464
	36-40in Wide	LN	Р	23	L	36-40W x 25D x 31H	1.5	2.1	3.5	4,313	4,559	4,699	4,835	4,973	5,113	5,264	5,412	5,591	5,804	6,056	6,320	6,575	6,822
	41-45in Wide	LN	Р	23	L	41-45W x 25D x 31H	1.6	2.4	3.8	4,509	4,780	4,933	5,082	5,234	5,386	5,553	5,715	5,911	6,145	6,421	6,710	6,991	7,262
	46-50in Wide	LN	Р	23	L	46-50W x 25D x 31H	1.7	2.5	4.1	4,707	5,001	5,168	5,330	5,495	5,662	5,843	6,018	6,233	6,488	6,787	7,102	7,407	7,702
	51-55in Wide	LN	Р	23	L	51-55W x 25D x 31H	1.8	2.6	4.3	4,905	5,215	5,389	5,561	5,736	5,910	6,102	6,287	6,512	6,781	7,097	7,430	7,751	8,062
	56-60in Wide	LN	Р	23	L	56-60W x 25D x 31H	2	2.8	4.7	5,101	5,435	5,623	5,808	5,996	6,184	6,390	6,589	6,833	7,122	7,462	7,820	8,166	8,501
Plinth, Arm Both, High Back	30-35in Wide	LN	Р	23	Н	30-35W x 25D x 38H	1.4	2.8	4	4,455	4,742	4,904	5,062	5,223	5,384	5,560	5,731	5,939	6,188	6,479	6,786	7,082	7,369
	36-40in Wide	LN	Р	23	Н	36-40W x 25D x 38H	1.5	3	4.3	4,663	4,973	5,148	5,320	5,494	5,669	5,860	6,046	6,271	6,540	6,856	7,188	7,510	7,821
	41-45in Wide	LN	Р	23	Н	41-45W x 25D x 38H	1.6	3.2	4.7	4,871	5,205	5,393	5,579	5,766	5,954	6,160	6,360	6,603	6,892	7,232	7,590	7,936	8,271
	46-50in Wide	LN	Р	23	Н	46-50W x 25D x 38H	1.7	3.6	5.1	5,079	5,445	5,651	5,854	6,059	6,266	6,491	6,710	6,975	7,292	7,665	8,057	8,436	8,804
	51-55in Wide	LN	Р	23	Н	51-55W x 25D x 38H	1.8	3.8	5.5	5,287	5,686	5,909	6,129	6,352	6,577	6,821	7,060	7,349	7,693	8,097	8,524	8,936	9,335
	56-60in Wide	LN	Р	23	Н	56-60W x 25D x 38H	2	4	5.9	5,495	5,917	6,155	6,388	6,625	6,862	7,121	7,374	7,680	8,045	8,474	8,926	9,363	9,785

To Order Select Below



PLINTH: ARMLESS LEFT OR RIGHT

							Yardaç	ge Requi	rements	Textile l	Jpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	ı	J	K	L	M
Plinth, Armless End Left/Right, Low Back	25-30in Wide	LN	Р	31/32	L	25-30W x 25D x 31H	1.6	1.3	2.8	2,731	2,931	3,042	3,152	3,264	3,376	3,499	3,617	3,762	3,934	4,136	4,349	4,555	4,755
	31-35in Wide	LN	Р	31/32	L	31-35W x 25D x 31H	1.8	1.5	3.1	2,958	3,180	3,306	3,429	3,555	3,680	3,817	3,950	4,112	4,306	4,531	4,770	5,001	5,225
and the second s	36-40in Wide	LN	Р	31/32	L	36-40W x 25D x 31H	1.9	1.6	3.5	3,183	3,430	3,569	3,706	3,844	3,983	4,135	4,283	4,462	4,675	4,926	5,191	5,445	5,693
	41-45in Wide	LN	Р	31/32	L	41-45W x 25D x 31H	2.1	1.7	3.8	3,409	3,680	3,832	3,982	4,134	4,286	4,452	4,614	4,811	5,045	5,321	5,610	5,891	6,162
	46-50in Wide	LN	Р	31/32	L	46-50W x 25D x 31H	2.2	1.9	4	3,635	3,922	4,083	4,241	4,402	4,564	4,739	4,911	5,119	5,367	5,659	5,965	6,262	6,549
	51-55in Wide	LN	Р	31/32	L	51-55W x 25D x 31H	2.4	2	4.3	3,860	4,170	4,345	4,517	4,691	4,866	5,058	5,243	5,468	5,737	6,053	6,386	6,707	7,018
	56-60in Wide	LN	Р	31/32	L	56-60W x 25D x 31H	2.6	2.2	4.7	4,086	4,420	4,608	4,793	4,981	5,169	5,375	5,574	5,818	6,107	6,447	6,805	7,151	7,486
Plinth, Armless End Left/Right, High Back	25-30in Wide	LN	Р	31/32	Н	25-30W x 25D x 38H	1.6	2.4	3.8	2,890	3,161	3,313	3,463	3,615	3,767	3,933	4,096	4,292	4,526	4,802	5,091	5,372	5,643
,	31-35in Wide	LN	Р	31/32	Н	31-35W x 25D x 38H	1.8	2.6	4.3	3,129	3,439	3,614	3,786	3,960	4,135	4,326	4,512	4,737	5,006	5,322	5,654	5,976	6,287
mere a service de la companya de la	36-40in Wide	LN	Р	31/32	Н	36-40W x 25D x 38H	1.9	2.9	4.8	3,369	3,711	3,903	4,092	4,285	4,477	4,688	4,892	5,141	5,437	5,786	6,152	6,506	6,849
	41-45in Wide	LN	Р	31/32	Н	41-45W x 25D x 38H	2.1	3.2	5.2	3,608	3,982	4,192	4,399	4,609	4,819	5,049	5,274	5,545	5,869	6,249	6,650	7,038	7,412
	46-50in Wide	LN	Р	31/32	Н	46-50W x 25D x 38H	2.2	2.8	5	3,847	4,205	4,406	4,605	4,806	5,008	5,228	5,442	5,702	6,012	6,376	6,760	7,131	7,490
	51-55in Wide	LN	Р	31/32	Н	51-55W x 25D x 38H	2.4	3	5.3	4,086	4,468	4,683	4,894	5,108	5,324	5,559	5,788	6,064	6,396	6,784	7,194	7,589	7,972
	56-60in Wide	LN	Р	31/32	Н	56-60W x 25D x 38H	2.6	3.2	5.8	4,325	4,739	4,972	5,201	5,433	5,666	5,921	6,168	6,469	6,828	7,248	7,692	8,120	8,535

1. Series/Type/Unit

LNP31 ARMLESS LEFT

LNEP2 ARMLESS RIGHT

Plinth Armless Right shown

LUNA PLINTH

LUNA PLINTH

To Order Select Below

Back Height

2. Back Height

HIGH BACK

LOW BACK

3. Width

Width XX WIDTH

Available in 25-60"

Upholstery Options DUAL UPHOLSTERY

4. Upholstery Options

Position

5. Postion


FREESTANDING START END

6. Layout Options

Layout Options BACK-TO-BACK

> Back-to-back not available on mid units.

7. Plinth Finish



Plinth Finish

LM05 DOVE GRAY LM09 BLACK

LM14 WALNUT HEIGHTS LM18 CASTLE OAK

Accessory Attachment

TRAY/TABLET ARM ATTACHED TO UNIT

Power Options

See <u>flush mount power</u>

ordering options and

8. Options

<u>rules.</u>

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units.

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table tray.

9. Upholstery

See general <u>information</u> <u>section</u> for details on textile program and COM information


30



PLINTH: ROUND INSIDE CORNER

							Yardag	ge Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	Е	F	G	Н	I	J	K	L	M
Plinth, Round Inside Corner, Low Back	25	LN	Р	41	L	25W x 25D x 31H	1.3	2	3.2	2,803	3,034	3,164	3,292	3,421	3,551	3,693	3,830	3,999	4,198	4,432	4,680	4,919	5,151
Plinth, Round Inside Corner, High Back	25	LN	Р	41	Н	25W x 25D x 38H	1.3	2.8	4	3,207	3,494	3,656	3,814	3,975	4,136	4,312	4,483	4,691	4,940	5,231	5,538	5,834	6,121

To Order Select Below






PLINTH: SQUARE INSIDE CORNER

							Yardag	ge Requir	rements	Textile U	Ipholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Square Inside Corner, Low Back	25	LN	Р	42	L	25W x 25D x 31H	1.3	2.1	3.2	2,874	3,104	3,234	3,362	3,491	3,621	3,764	3,901	4,070	4,269	4,503	4,751	4,990	5,222
Plinth, Square Inside Corner, High Back	25	LN	Р	42	Н	25W x 25D x 38H	1.3	2.8	4	3,053	3,340	3,502	3,660	3,821	3,982	4,158	4,330	4,538	4,786	5,077	5,384	5,680	5,968

To Order Select Below





PLINTH: ROUND OUTSIDE CORNER

							Yardaç	ge Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Round Outside Corner, Low Back	25	LN	Р	51	L	25W x 25D x 31H	1.9	0.5	2.4	2,056	2,224	2,317	2,410	2,503	2,598	2,701	2,801	2,922	3,067	3,236	3,415	3,589	3,756
Plinth, Round Outside Corner, High Back	25	LN	Р	51	Н	25W x 25D x 38H	1.9	0.8	2.6	2,195	2,378	2,481	2,583	2,685	2,789	2,902	3,011	3,144	3,302	3,488	3,685	3,874	4,058

8. Upholstery 3. Width 1. Series/Type/Unit 2. Back Height 4. Upholstery Options 5. Postion 6. Options 7. Plinth Finish Width **Upholstery Options Position Plinth Finish** See general **Back Height Accessory Attachment** <u>information</u> TRAY/TABLET ARM DF DUAL UPHOLSTERY 25 WIDTH MID LNP51 M HIGH BACK <u>section</u> LM05 DOVE GRAY ATTACHED TO UNIT for details LM09 BLACK LOW BACK Luna on textile Plinth LM14 WALNUT HEIGHTS program and Accessory attaches to right side of **Round Outside Corner** LM18 CASTLE OAK COM seat unit. Trays and tablet arm seat mount units can only be used between information

units. Not available on Arm Right Units.

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table



PLINTH: ROUND END CAP

							Yarda	ge Requir	ements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	1	J	K	L	M
Plinth, Round End Cap, Low Back	50-55in Wide	LN	Р	52	L	50-55W x 25D x 31H	2.8	0.8	3.6	3,490	3,745	3,889	4,029	4,172	4,316	4,472	4,625	4,809	5,030	5,289	5,562	5,826	6,081
	56-60in Wide	LN	Р	52	L	56-60W x 25D x 31H	3	1	3.9	3,682	3,960	4,117	4,271	4,427	4,584	4,756	4,922	5,124	5,365	5,649	5,948	6,236	6,515
	61-65in Wide	LN	Р	52	L	61-65W x 25D x 31H	3	1.1	4.1	3,873	4,167	4,334	4,496	4,661	4,828	5,009	5,184	5,399	5,653	5,953	6,268	6,573	6,868
	66-70in Wide	LN	Р	52	L	66-70W x 25D x 31H	3	1.4	4.2	4,064	4,367	4,536	4,704	4,873	5,044	5,230	5,411	5,631	5,893	6,200	6,524	6,838	7,141
	71-75in Wide	LN	Р	52	L	71-75W x 25D x 31H	3	1.5	4.4	4,256	4,574	4,753	4,930	5,107	5,287	5,483	5,673	5,904	6,181	6,504	6,845	7,175	7,494
Plinth, Round End Cap, High Back	50-55in Wide	LN	Р	52	Н	50-55W x 25D x 38H	2.8	1.1	3.9	3,626	3,905	4,062	4,216	4,372	4,529	4,701	4,867	5,069	5,310	5,594	5,893	6,181	6,459
	56-60in Wide	LN	Р	52	Н	56-60W x 25D x 38H	3	1.4	4.2	3,821	4,124	4,293	4,461	4,630	4,801	4,987	5,168	5,387	5,649	5,957	6,281	6,595	6,897
	61-65in Wide	LN	Р	52	н	61-65W x 25D x 38H	3	1.6	4.6	4,014	4,341	4,524	4,705	4,888	5,072	5,273	5,467	5,704	5,987	6,319	6,668	7,006	7,333
	66-70in Wide	LN	Р	52	Н	66-70W x 25D x 38H	3	1.8	4.8	4,209	4,551	4,743	4,933	5,125	5,318	5,529	5,732	5,981	6,277	6,626	6,992	7,347	7,690
	71-75in Wide	LN	Р	52	Н	71-75W x 25D x 38H	3.1	2.1	5.1	4,402	4,768	4,974	5,177	5,382	5,589	5,814	6,033	6,298	6,615	6,988	7,380	7,759	8,127

To Order Select Below

Round End Cap

1. Series/Type/Unit 2. Back Height 3. Width 4. Upholstery Options 5. Postion **Back Height** Width **Upholstery Options Position** DF DUAL UPHOLSTERY LNP52 MID M HIGH BACK XX WIDTH LOW BACK Luna Available in 50-75" Plinth

6. Options

Accessory Attachment TRAY/TABLET ARM T ATTACHED TO UNIT Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units.

Please note that the table tray is a separate line item that must still be ordered. The 'T' designator above only indicates that the seat unit is configured to accommodate a table tray.

7. Plinth Finish

Plinth Finish See general information section LM05 DOVE GRAY LM09 BLACK LM14 WALNUT HEIGHTS LM18 CASTLE OAK Section for details on textile program and COM information

8. Upholstery

TRAY TABLE: ROUND OR WIRELESS CHARGING

	SERIES	TYPE	DIMENSIONS	PRICE
Tray Table, Round Tray Table	LN	71	13W x 13D	523
Tray Table, Wireless Charging Tray	LN	72	8W x 13D	874

To Order Select Below

1. Series/Type 2. Top Finish 3. Finish **Wood Finish Standard Powder Coated Metal ROUND TRAY** SW81 WHITE OAK MG MEADOW GREEN BL BLUE LN71 TABLE SW83 MAPLE BM BLACK MATTE MK MILK WIRELESS +73 SW85 WALNUT CHAMPAGNE MS METALLIC SILVER CHARGING LN72 TRAY SW87 OPAQUE BLACK DB DARK BRONZE NK NICKEL OC OCHRE DG DARK GRAY Only applicable for Wireless **DUSTY PINK** PALE YELLOW Charging Tray RO RED ORANGE DS DARK SAGE LG LIGHT GRAY RUSTY RED SOFT BLUE LILAC GRAY

Only applicable for Round Tray Table

LP LIGHT PISTACHIO

MB MIDNIGHT BLUE

LR LIPSTICK RED

SD

SAND

TC TERRACOTTA

TP TAUPE



	SERIES	TYPE	DIMENSIONS	PRICE
Tray Table, Tablet Arm, Under Single	LN	75	14W x 14D	832
Tray Table, Tablet Arm, Under Dual	LN	76	14W x 14D	832

1. Series/Type

To Order Select Below

UNDER MOUNT LN75 SINGLE SWIVEL **UNDER MOUNT** LN76 DUAL SWIVEL

2. Top Finish

Wood Finish

SW81 WHITE OAK

SW83 MAPLE

SW85 WALNUT

SW87 OPAQUE BLACK

3. Finish

+73

Standard Powder Coated Metal

BL	BLUE
ВМ	BLACK MATTE
СР	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
DS	DARK SAGE
LG	LIGHT GRAY
LL	LILAC GRAY
LP	LIGHT PISTACHIO
LR	LIPSTICK RED
MB	MIDNIGHT BLUE

MG MEADOW GREEN MK MILK MS METALLIC SILVER NK NICKEL OC OCHRE PALE YELLOW RO RED ORANGE RR RUSTY RED SOFT BLUE SD SAND TC TERRACOTTA TP TAUPE



	SERIES	TYPE	DIMENSIONS	PRICE
Tray Table, Tablet Arm, Seat Single	LN	77	14W x 14D	832
Tray Table, Tablet Arm, Seat Dual	LN	78	14W x 14D	832

To Order Select Below 1. Series/Type 2. Top Finish 3. Finish **Wood Finish Standard Powder Coated Metal** SEAT MOUNT MG MEADOW GREEN SW81 WHITE OAK BL BLUE LN77 SINGLE SWIVEL SW83 MAPLE BM BLACK MATTE MK MILK SEAT MOUNT +73 SW85 WALNUT CHAMPAGNE MS METALLIC SILVER LN78 DUAL SWIVEL NK NICKEL SW87 OPAQUE BLACK DB DARK BRONZE DG DARK GRAY OC OCHRE **DUSTY PINK** PALE YELLOW

RO RED ORANGE

SAND TC TERRACOTTA

TP TAUPE

SD

RUSTY RED SOFT BLUE

DS DARK SAGE

LG LIGHT GRAY

LL LILAC GRAY

LR LIPSTICK RED

MB MIDNIGHT BLUE

LP LIGHT PISTACHIO



	1				1	
	S	ERIES	TYPE	HEIGHT	DIMENSIONS	PRICE
Planter, Enclosed, Single, Low Back		.NP	6P1A	LB	15W x 15D x 31H	1,747
Planter, Enclosed, Single, High Back		.NP	6P1A	НВ	15W x 15D x 38H	1,996
Planter, Enclosed, Double, Low Back		.NP	6P2A	LB	15W x 30D x 31H	2,523
Planter, Enclosed, Double, High Back	L	.NP	6P2A	НВ	15W x 30D x 38H	2,855

To Order Select Below

DOUBLE

LNP6P2A ENCLOSED





	SERIES	TYPE	HEIGHT	DIMENSIONS	LAMINATE	WOOD VENEER
Planter, Exposed, Single, Low Back	LNP	6P1B	LB	15W x 15D x 31H	2,121	4,190
Planter, Exposed, Single, High Back	LNP	6P1B	НВ	15W x 15D x 38H	2,376	4,583
Planter, Exposed, Double, Low Back	LNP	6P2B	LB	15W x 30D x 31H	3,409	5,228
Planter, Exposed, Double, High Back	LNP	6P2B	НВ	15W x 30D x 38H	3,741	5,609

To Order Select Below

