stylex

General Information

STYLEX PRICE LIST

GENERAL INFORMATION

Terms

Net 30 days from date of invoice, F. O. B. Delanco, New Jersey.

Damaged Shipments

All Stylex products are carefully inspected before they are packed in sturdy cartons designed to satisfy shipping requirements. Stylex is not responsible for damage in shipment. The transportation company assumes responsibility for delivering products to you in good condition when the bill of lading is signed. You protect yourself by refusing shipments showing damage or shortage until transportation company has noted on the delivery sheet the extent of damage or shortage. Concealed damage should be reported to the carrier as soon as discovered, but no later than 5 days after receiving shipment.

Return/Restocking Policy

Return shipments will not be accepted unless specifically authorized by Stylex in writing. The Return Authorization number should be clearly marked on the carton. The customer returning Stylex products is responsible for return shipping costs. Merchandise must be returned unused. Returned merchandise is subject to a 35% restocking fee.

Custom Products

Modifications to standard products will be considered for large runs. Contact factory for price quotations.

Design Changes

In keeping with modern manufacturing advances, Stylex reserves the right to incorporate minor modifications and design changes in products without notice.

Cancellation/Change Order Policy

Regarding requests for order cancellation and/or order modification, please be advised that no charges will be applied before production, unless inventory has been specifically requisitioned to fulfill your order. Once orders proceed to the production phase, they cannot be altered or canceled under any circumstances. All requests for order cancellations or order changes must be submitted in writing and will only be considered valid upon approval by Stylex.

WARRANTY

Except as provided below, Stylex warrants exclusively to the original Purchaser of our product that all parts, under normal use and service, will be free from defects in workmanship and material for a period of ten (10) years from the date of purchase. "Normal use and service" means that the product will be used in a typical office environment for 40-45 hours per week.

This warranty is subject to the following limitations, exclusions and provisions:

Limitations involving materials and components:

Wood components of plywood stacking chairs

(such as Brooks and Welcome) 5 years

Upholstery

(including mesh used for Click, F4, Insight, and Zephyr 3 years

SAVA Mesh

10 years

COM Upholstery

No warranty

Stylex makes every effort to ensure that the COM Upholstery it approves is suitable for the intended use. Nevertheless, we will not warrant, and assume no responsibility for, the durability or tailoring quality of any COM or COL. If you have any concerns about the ultimate appearance of any covering, please order an upholstered sample.

Painted Stack Chair Frames

No Warranty

We will not warrant the finish of painted stack chair frames against damage from stacking. Please order chrome frames for chairs that will be stacked.

Felt Glides

No warranty

Due to the different surfaces on which felt glides may be used, we cannot warrant their durability over time.

If this product fails during normal use and service within the applicable warranty period (other than through normal wear and tear), please send a description of the relevant part and the nature of the defect, together with proof of purchase of the product to qm@stylexdesign.com. PLEASE DO NOT RETURN PARTS OR THE PRODUCT TO STYLEX UNLESS INSTRUCTED TO DO SO BY STYLEX. Stylex will, at its discretion, either repair or replace the defective product or part at no cost. Labor requests must receive approval and will be authorized on a case-by-case basis. We will only reimburse for labor costs directly incurred, excluding any travel-related expenses. Purchaser may be required (at the option of Stylex) to return to Stylex at Purchaser's expense any defective part with all freight or shipping charges prepaid. The foregoing warranty shall be void if the product has been altered or repaired (other than by Stylex). The warranty does not cover damage to the product caused by accident, neglect, misuse, abuse, modification to the product by anyone other than Stylex or damage caused by use of the product for a purpose other than that for which it was designed. This warranty extends only to the original Purchaser of the product.

No Other Warranties

This warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. The rights and remedies provided herein are the exclusive rights and remedies of the original purchaser of the product.

No Liability For Damages

In no event shall Stylex or its suppliers be responsible or liable for any special, indirect, consequential, or incidental damages. In no event shall the liability of Stylex exceed the actual purchase price paid to Stylex for the product.

Out of Warranty Products

For all products no longer covered by our warranty, please refer to our Design for Durability and Upgradability Policy. Contact Customer Service if you would like to purchase any replaceable components to further extend the life of any Stylex seating product. This warranty applies to all Stylex products purchased on April 13, 2018, and thereafter.

PRODUCT TAKE BACK PROGRAM

In order to be good stewards of our products, Stylex offers a pathway towards a Product Take Back Program as a more viable solution to the end of our products' originally intended life.

Stylex supports the sustainable programs of ANEW and offers their added value to our clients through a comprehensive take-back solution for surplus office furniture and materials of any kind, in any condition. AN EW is a 501(c)(3) non-profit organization that exists to provide companies with smart, cost effective alternatives for their surplus furniture and other items with the priority of matching it to non- profits, public agencies and the underserved, within the local community of the project site. Corporate Social Responsibility is raised while the impact on the environment is lowered by diverting products and materials otherwise destined for landfill.


Stylex is proud to offer ANEW to customers dedicated to strengthening their community network by repurposing their furniture, fixtures and architectural materials to those in need. In 2014, Stylex commit ted to making this relationship a part of our strategic sales strategy. Visit www.anewfound.org to find out more.

To initiate a Product Take Back strategy through ANEW, contact Stylex Customer Service at 800-257-5742.

For other end of life recovery options, please see our Product Disassembly Instructions and End of Life Recovery Options documents available on our website in the resources section of each product in our line.

FREIGHT PROGRAM

Freight charges will be calculated as a percentage of the net product price and added to the invoice at the time of shipment. The continental United States has been divided into three zones. Please use the map below to determine freight charges for the product's destination. Minimum freight charge is \$150. Please let us know if you will be shipping to a residential address or require inside delivery as this requires an additional fee. Also please note we need to be made aware if a liftgate is required prior to delivery. If any requests are made at the time of delivery, applicable charges will apply.



ZONE 1 - 4%

Connecticut Delaware New York New Jersey Maryland Massachusetts North Carolina Ohio Pennsylvania Rhode Island Virginia Washington D.C. Louisiana

West Virginia

ZONE 2 - 5%

Alabama **Arkansas** Canada, Ontario Canada, Quebec Florida Georgia Iowa Illinois Indiana Kansas Kentucky

Nebraska

Oklahoma

Michigan

Minnesota

Mississippi

Tennessee

Vermont

Wisconsin

Texas

Missouri

Maine

New Hampshire

ZONE 3 - 6%

Arizona

California

Colorado

Montana

New Mexico

North Dakota

South Dakota

Washington

Wyoming

Nevada

Oregon

ldaho

Alaska South Carolina Mexico

Quote Per Project

Hawaii Canada (outside Ontario & Quebec)

Zone 3 - 6%

2

General Information

STYLEX PRICE LIST

TEXTILE PARTNERS & APPROVALS

Textile Partners

To customize your furniture performance needs and design vision, Stylex offers a wide selection of in-graded leathers and textiles from Grades A through Y. We've partnered with leading manufacturers on the options, focusing on color, price, durability, and construction. To view our partners and explore our digital carded program with broadly approved textiles, visit **this page**. We stand by these textiles: They're tried and tested, and will effortlessly fit into any design aesthetic.

Textile Approvals

All textiles must be approved for the product you are specifying. For the related approved textile lists, visit **this page**.

CAL 117 AND 133 COMPLIANCE

CAL 117-2013

All Stylex seating satisfies the requirements of CAL 117-2013 so long as one of our standard or ingraded fabrics is applied. COM textiles cannot be so guaranteed. Please contact the supplier of COM's directly to determine the fire retardancy of any COM supplied to us.

CAL 133

Most Stylex seating can be ordered to meet the requirements of CAL 133. When ordering, simply specify "CAL 133 compliance required". The upcharge for this option is \$54 list per yard. Please refer to the COM yardage of each model to determine the number of yards required. We do frequently require full-scale burn tests in order to certify CAL 133 before an order will be accepted. Such burn tests may increase normal lead times and do carry additional charges. Please contact customer service for details.

CUSTOMER'S OWN MATERIAL/LEATHER

Customer's own material (COM) and customer's own leather (COL) will generally be upholstered at the price designated in each product's price list. Please be advised, however, that we specifically reserve the right to charge a higher price when we determine that special circumstances, such as unusual repeats or challenging materials, present themselves. All orders for custom coverings must be approved by Stylex before they will be accepted for production. To submit proposed textile for approval, please use the COM form https://example.com/here.com

Special Note:

We assume no responsibility for the durability or tailoring quality of any COM or COL. Directional covers in particular may not meet your satisfaction due to the design of certain products. Please be advised that COM and COL orders are not subject to return. If you have doubts about the ultimate appearance of certain coverings, please order a sample done with that specific COM or COL. In addition, while we inspect fabrics for mill imperfections, some are difficult to recognize. We cannot be responsible for defects, color inaccuracies, dye lot variations, or other flaws.

Under no circumstances will we be responsible for COM shortages, flaws, or other such problems. Finally, it is not our responsibility to police the receipt of COM's in order to meet delivery deadlines, and we assume our customers are aware of any undue delay in the shipment of their COM fabrics.

COM fabric and COL leather should be sent prepaid to:

Stylex

Attn: COM/COL - [Your PO #] 740 Coopertown Road Delanco, NJ 08075

Clearly mark fabric or leather with the dealers name, purchase order number, and furniture model number of the item to be covered. Actual furniture orders should include the same information, as well as a description of the fabric or leather, including pattern and color number, in order to provide a cross reference.

Yardage requirements shown in the price list are based on non-directional goods of 54" width. Fabrics less than 54" wide or those requiring matching (stripes, prints, or large patterned designs) call for additional yardage. We will be happy to supply yardage requirements for large quantities where economies may be realized.

Add the following yardage for stripes, plaids, or patterns with repeats:

Fabric Width	Plain Fabric	2-14" Repeat	15-24" Repeat	25-27" Repeat	28-36" Repeat
54"	0%	10%	15%	20%	25%
50"	10%	20%	25%	30%	35%
48"	15%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

COM/COL FORM

To avoid delay in processing COM orders we request that you submit a sample of your COM fabric stapled to this form which can be downloaded **here**. If a fabric has a stripe or design, the size of the repeat should be indicated. Please indicate the fabric supplier's name, fabric number, and color. Also indicate the Stylex product on which the fabric will be used.

The fabric supplier must indicate on his shipping labels the dealer name and purchase order number as well as the Stylex model number.

Please Note:

No order may be entered into production or have a shipping date assigned until all related COM is received at the factory.



CENTER OF STRIPE OR DESIGN

TOP OF CHAIR	TOP OF CHAIR

1. Size of Repeat		
2. Fabric Supplier		
3. Fabric Number		
4. Color		
5. Stylex Product		

Contents

ABOUT	5
STATEMENT OF LINE	6
PRODUCT INFORMATION	10
DIMENSIONS	11
HOW TO ORDER	13
COLORS, MATERIALS, AND FINISHES	16


SEATING: ELEVATED	17
SEATING: PLINTH	25
TRAY TABLE	33
TABLET ARM	34
PLANTER	36
	•

CLICK THE TITLES ABOVE TO NAVIGATE THROUGH THE DOCUMENT PRODUCT HEADERS ON SUBSEQUENT PAGES LINK BACK TO THIS PAGE



Introducing Luna, banquette seating that offers precise customization down to the inch, ensuring a perfect fit even in the most unconventional spaces. With segments ranging from 25" to 60", Luna allows you to create symmetrical and tailored seating arrangements, whether running or stand alone, with the option for half-moon-shaped arms. Luna seamlessly integrates with our Still screens, and the collection includes options for high or low backs, a planter for enclosed layouts, and a trio of accessory tables. Pricing is offered in seven different buckets, conveniently divided into 5" increments, ensuring efficiency and ease in specification. For layout assistance, our Design Application team is at your service – get in touch at designapplication@stylexdesign.com.







PLINTH, HIGH BACK, PLANTERS

SPECIFICATION GUIDE: STATEMENT OF LINE, ELEVATED SEATING

Elevated Low Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
	A STATE OF THE PARTY OF THE PAR					
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		
evated High Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		

PRODUCT INFORMATION

Design

A Stylex Design, by Anthony Land

Legs (Elevated)

Elevated units come with cast aluminum legs, available in a polished finish and Stylex's standard powder coat colors. They can also be ordered without legs for custom millwork.

Configuration

Luna can be ordered as freestanding units or as part of a larger layout. When ordering, it's crucial to specify whether each line item is freestanding or for the start/mid/end of a layout. Arrange them from left to right as viewed from a seated perspective. We highly recommend using CET Designer for specifying this product for optimal accuracy.

Use

Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: STATEMENT OF LINE, PLINTH SEATING

Plinth Low Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
			The state of the s			
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		
linth High Back	Standard	Arm Left	Arm Right	Arm Both	Armless End Left	Armless End Right
	A STATE OF THE PARTY OF THE PAR				The state of the s	
	Round Inside Corner	Square Inside Corner	Round Outside Corner	Round End Cap		
				The state of the s		

PRODUCT INFORMATION

Design

A Stylex Design, by Anthony Land

Toe Kick (Plinth)

Plinth units include a 2.625" black laminate toe kick.

Configuration

Luna can be ordered as freestanding units or as part of a larger layout. When ordering, it's crucial to specify whether each line item is freestanding or for the start/mid/end of a layout. Arrange them from left to right as viewed from a seated perspective. We highly recommend using CET Designer for specifying this product for optimal accuracy.

Use

Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: STATEMENT OF LINE, PLANTERS, TRAYS AND TABLET ARMS

OVERVIEW						
Planter Low Back Height	Single	Double				
Planter High Back Height	Single	Double				
Tray & Tablet Arm	Round Tray Table	Wireless Charging Tray	Under Mount, Single Swivel	Under Mount, Dual Swivel	Seat Mount, Single Swivel	Seat Mount, Dual Swivel
Power	Under Mount (for Elevated style)	Flush Mount (for Plinth style)				

PRODUCT INFORMATION

Planters

Planters extend to the floor, resting on height-adjustable glides, and feature a black laminate finish over an MDF core. They are concealed on all vertical sides by seat units or a wall. Please note that enclosed planters are not intended to be exposed; they should be surrounded by seating units or placed against a wall. Exposed planters can be exposed on all sides.

Tray Tables and Tablet Arms

The round tray table is made of steel and available in 26 powder coat finishes.

The wireless charging tray comes in four different solid wood finish options, featuring a black wireless surface mount charging unit in the center of the oval top.

Tablet arms are available in single or dual swivel, with four solid wood finish options.

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Additional power options include daisy chain and wireless surface mount charging. Default cord lengths are 10 feet, with custom lengths available. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5′, 10′, and 15′ standard lengths.

Use


Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: ACCESSORIES AND DETAILS



PRODUCT INFORMATION

Plinth

The plinth is designed to provide a continuous appearance at the front, back, and exposed ends of a unit. However, the plinth side panels are removed when ordered as the Start, Mid, and End of a ganged layout.

Ganging

Elevated style units employ mid legs for ganging seating units side-to-side and back-to-back, while plinth style units use ganging brackets to connect seats in the same manner. Plinth Start, Mid, and End units can be ganged side-to-side and come with cast aluminum drop-on ganging brackets for tool-free assembly.

Elevated - Legs

Elevated seats share a leg between non-standalone units, while standalone units have four legs. The legs for elevated units are installed in the field.

Glides

All units come standard with adjustable glides, allowing for 3/4" adjustment.

Upholstery Details

- Standard units feature a top-edge seam and are designed to be flush side to side.
- Armless End and Arm units have a roll-style seam at the exposed end of a layout.
- Units 46" and larger include a middle seam.
- Luna offers a dual upholstery option.

Use


Designed for indoor use only.

Performance Standards

Manufactured to comply with:
ANSI/BIFMA X5.4 Lounge Seating Tests

Certifications

SPECIFICATION GUIDE: PRODUCT INFORMATION, POWER



and gray.

Hardwire only available in Standard Power

PRODUCT INFORMATION

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Additional power options include daisy chain and wireless surface mount charging. Default cord lengths are 10 feet, with custom lengths available. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5′, 10′, and 15′ standard lengths.

Mounting Options

Under mount power is designated by (U) in the model code. Flush mount power is designated by (F) in the model code.

Cord Length

Both the standard cord and the conduit whip are 10ft long. Other lengths are available as a custom order.

Colors

Under mount power units are offered in black (B), gray (G), and white (W), while flush mount power units are available in black (B) only.

Cable Management

All elevated units include cable mounts and screws for assembly and installation. Power units come with wire management clips for every 1-foot length of cord.

For plinth units against a wall, the rear-side toe kick can be removed to allow for cord egress.

For plinth units not against a wall, the unit may be raised up by extending the glides or the installer may cut a small mouse hole in the toe kick. See assembly instructions for more information.

Location


On elevated units, the power is located under the front edge, next to the leg. For plinth units, the power is flush to the front, positioned 8" on center from the side of the unit. However, for arm and armless units, the power is located 16" on center from that side. Units with a tapered front (Arm and Armless) under 45" in length cannot have power on the same side as the arm feature. For units 46" and longer, both left and right power options are available. Units with two arms under 45" in length cannot have power, and power is not available for corner or endcap units.

Example

UB1 - Under mount, black, position 1

FHB12 - Flush mount, hardwired, black, positions 1 & 2

SPECIFICATION GUIDE: PRODUCT INFORMATION, DAISY CHAIN POWER



Options

FLUSH MOUNT (PLINTH)

JUMPER EXTENSION

UNDER MOUNT (ELEVATED)

+39

+59

+138

Power System

+2,039

LNPSBS LUNA POWER SYSTEM

PRODUCT INFORMATION

Power

Elevated units offer undermount power beneath the seats, while plinth units offer flush mount power in the front. You can specify power units to be hardwired or equipped with a 3-prong plug. These units feature one USB-A port, one USB-C port, and a standard grounded 3-prong electrical outlet. Additional power options include daisy chain and wireless surface mount charging. Default cord lengths are 10 feet, with custom lengths available. Power units come with wire management clips for every 1-foot length of cord. Daisy chain infeeds are offered in 5′, 10′, and 15′ standard lengths.

Mounting Options

Under mount power is designated by (U) in the model code. Flush mount power is designated by (F) in the model code.

Cord Length

Both the standard cord and the conduit whip are 10ft long. Other lengths are available as a custom order.

Colors

Under-mount power units are offered in black (B), gray (G), and white (W), while flush-mount power units are available in black (B) only.

Cable Management

All elevated units include cable mounts and screws for assembly and installation. Power units come with wire management clips for every 1-foot length of cord.

For plinth units against a wall, the rear-side toe kick can be removed to allow for cord egress.

For plinth units not against a wall, the unit may be raised up by extending the glides or the installer may cut a small mouse hole in the toe kick. See assembly instructions for more information.

Location

On elevated units, the power is located under the front edge, next to the leg. For plinth units, the power is flush to the front, positioned 8" on center from the side of the unit. However, for arm and armless units, the power is located 16" on center from that side. Units with a tapered front (Arm and Armless) under 45" in length cannot have power on the same side as the arm feature. For units 46" and longer, both left and right power options are available. Units with two arms under 45" in length cannot have power, and power is not available for corner or endcap units

Order Entry

Please get in touch with designapplication@stylexdesign.com. CET is required for order entry to determine jumper lengths and system configuration. All daisy chain units are entered under 1 line.

SPECIFICATION GUIDE: DIMENSIONS, SEATING

OVERVIEW	ELEVATED & PLINT	TH SEATING						
Dimensions A. Overall Width B. Overall Depth C1. Overall Height Low Back C2. Overall Height High Back D. Seat Width E. Seat Depth F. Seat Height G. Leg Height H1. Back Height Low Back H2. Back Height High Back Back and seat dimensions are based on compressed, seated dimensions. Elevated seating available without legs for customer's own millwork.	Standard A. 25 - 60 B. 25 C1. 31.5 C2. 38.5 D. 25 - 60 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Arm Left/Right A. 25 - 60 B. 25 C1. 31.5 C2. 38.5 D. 18 - 53 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Arm Both A. 30 - 60 B. 25 C1. 31.5 C2. 38.5 D. 16 - 46 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Armless End Left/Right A. 25 - 60 B. 25 C1. 31.5 C2. 38.5 D. 25 - 60 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round Inside Corner A. 25 B. 25 C1. 31.5 C2. 38.5 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Square Inside Corner A. 25 B. 25 C1. 31.5 C2. 38.5 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round Outside Corner A. 25 B. 25 C1. 31.5 C2. 38.5 D. 19 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75	Round End Cap A. 50 - 75 B. 25 C1. 31.5 C2. 38.5 D. 50 - 75 E. 19 F. 17.75 G. 12.25 H1. 13.75 H2. 20.75
Arm Choice A. Arm Width B. Arm Depth		Arm Left/Right A. 7 B. 9	Arm Both A. 7 B. 9					

SPECIFICATION GUIDE: DIMENSIONS, PLANTERS, TRAYS, TABLET

OVERVIEW	PLANTERS, FOR LOW BA	СК	PLANTERS, FOR HIGH BA	ACK	
Dimensions A. Width B. Depth C. Height	Single A. 15 B. 15 C. 31	Double A. 30 B. 15 C. 31	Single A. 15 B. 15 C. 38	Double A. 15 B. 15 C. 38	
A. Interior HeightB. Interior Width (Top)C. Interior Width (Bottom)	Planter Liner A. 11.5 B. 12.5 C. 11.5				
A. Diameter B. Height Above Seat	Round Tray Table A. 13 B. 2.5	Tablet Arm, Under Mount A. 14 B. 8.5	Tablet Arm, Seat Mount A. 14 B. 8.5		
A. Width B. Depth C. Height Above Seat	Wireless Charging Tray A. 8 B. 13 C. 3				

SPECIFICATION GUIDE: HOW TO ORDER, SEATING, ELEVATED

MODEL CODE BREAKDOWN Sample Model Code: LNE21L27DFSBBLUB12COM 1. Series 2. Type 3. Unit 4. Back Height 5. Length **6. Upholstery Options** 7. Position 8. Layout Options 9. Leg Finish 10. Options 11. Upholstery DF **UB12** BL B **Back Height** Width Series Unit **Position Layout Options Standard Powder Coated Metal Power Options Textile Grades** Type LN LUNA **Upholstery Options** B BACK-TO-BACK E ELEVATED 11 STANDARD H HIGH BACK XX **CUSTOM LENGTH** F FREESTANDING BL BLUE U___ UNDER MOUNT COM CUSTOMER'S OWN MATERIAL DF DUAL UPHOLSTERY 21 ARM LEFT L LOW BACK WIDTH (CORNERS) S START BM BLACK MATTE _B_ _ BLACK GRADE A M MID 22 ARM RIGHT Back-to-back not available BR BRASS _G_ _ GRAY GRADE B on mid units. E END 23 ARM BOTH BT BLACK TWILIGHT _W__ WHIT GRADE C CP CHAMPAGNE 31 ARMLESS END LEFT NL NO LEGS _ H_ HARDWIRE GRADE D Units available by the inch End units with arms cannot _ _ _1 POSITION 1 (LEFT) 32 ARMLESS END RIGHT DB DARK BRONZE GRADE E between 25 - 60" gang back-to-back via • 11 - STANDARD 41 ROUND INSIDE CORNER DG DARK GRAY _ _ _2 POSITION 2 (RIGHT) GRADE F mid leg on the same side 21 - ARM LEFT 42 SQUARE INSIDE CORNER as the arm feature. DP DUSTY PINK GRADE G 22 - ARM RIGHT 51 ROUND OUTSIDE CORNER FG FOREST GREEN See power ordering GRADE H • 31 - ARMLESS LEFT 52 ROUND END CAP LG LIGHT GRAY options and rules. GRADE I 32 - ARMLESS RIGHT MG MEADOW GREEN **GRADE J Accessory Attachment** MK MILK GRADE K TRAY/TABLET ARM Units available by the inch MS METALLIC SILVER GRADE L ATTACHED TO UNIT between 30 - 60" GRADE M NK NICKEL 23 - ARM BOTH NV NAVY Accessory (tray table / tablet arm) Note: Select highest grade in the case OR ORANGE attached to right side of seat unit. of dual upholstery Units available by the inch PY PALE YELLOW Not applicable for undermount between 50 - 75" tablet arms RD RED • 52 - ROUND END CAP RO RED ORANGE RR RUSTY RED SB SOFT BLUE Units required to be 25" 41 - ROUND INSIDE CORNER SD SAND • 42 - SQUARE INSIDE CORNER TC TERRACOTTA • 51 - ROUND OUTSIDE CORNER TP TAUPE TS TEXTURED SLATE YL YELLOW Other

AL POLISHED ALUMINUM

SPECIFICATION GUIDE: HOW TO ORDER, SEATING, PLINTH

MODEL CODE BREAKDOWN Sample Model Code: LNP21L27DFSBLM05FB12COM 5. Length 9. Plinth Finish 1. Series 2. Type 3. Unit 4. Back Height **6. Upholstery Options** 7. Position 8. Layout Options 10. Options 11. Upholstery **LM05** DF **UB12** P B **Back Height** Width **Layout Options Textile Grades** Series Unit **Position Plinth Toe Kick Finish Power Options** Type LN LUNA **CUSTOM LENGTH Upholstery Options** B BACK-TO-BACK P PLINTH 11 STANDARD H HIGH BACK XX F FREESTANDING LM05 DOVE GRAY F_ _ FLUSH MOUNT COM CUSTOMER'S OWN MATERIAL _B_ _ BLACK DF DUAL UPHOLSTERY 21 ARM LEFT L LOW BACK WIDTH (CORNERS) S START LM09 BLACK GRADE A _G_ _ GRAY M MID Back-to-back not available **GRADE B** 22 ARM RIGHT LM14 WALNUT HEIGHTS on mid units. 23 ARM BOTH E END LM18 CASTLE OAK _ _ H_ HARDWIRE GRADE C _ _ 1 POSITION 1 (LEFT) 31 ARMLESS END LEFT NL NO LEGS GRADE D Units available by the inch End units with arms cannot _ _ _2 POSITION 2 (RIGHT) 32 ARMLESS END RIGHT GRADE E between 25 - 60" gang back-to-back via 11 - STANDARD 41 ROUND INSIDE CORNER GRADE F mid leg on the same side 21 - ARM LEFT 42 SQUARE INSIDE CORNER as the arm feature. See power ordering GRADE G 22 - ARM RIGHT options and rules. 51 ROUND OUTSIDE CORNER GRADE H 31 - ARMLESS LEFT 52 ROUND END CAP GRADE I • 32 - ARMLESS RIGHT **Accessory Attachment GRADE J** TRAY/TABLET ARM GRADE K Units available by the inch

between 30 - 60"

23 - ARM BOTH

Units available by the inch between 50 - 75"

• 52 - ROUND END CAP

Units required to be 25"

- 41 ROUND INSIDE CORNER
- 42 SQUARE INSIDE CORNER
- 51 ROUND OUTSIDE CORNER

ATTACHED TO UNIT

Accessory (tray table / tablet arm) attached to right side of seat unit. Not applicable for undermount tablet arms

GRADE L

GRADE M

Note: Select highest grade in the case of dual upholstery

SPECIFICATION GUIDE: HOW TO ORDER, TRAY AND TABLET

MODEL CODE BREAKDOWN

Sample Model Code: LNE72SW81BM

2. Type

LN 7

1. Series

Series Type

LN LUNA 71

71 ROUND TRAY TABLE

72 WIRELESS CHARGING TRAY

75 TABLET ARM, UNDER MOUNT SINGLE SWIVEL

76 TABLET ARM, UNDER MOUNT DUAL SWIVEL

77 TABLET ARM, SEAT MOUNT SINGLE SWIVEL

78 TABLET ARM, SEAT MOUNT DUAL SWIVEL

SW81

Wood Finish

3. Top Finish

SW81 WHITE OAK

SW83 MAPLE

SW85 WALNUT

SW87 OPAQUE BLACK

Not applicable for Round Table Tray

BM

4. Finish

Standard Powder Coated Metal

BL BLUE

BM BLACK MATTE

BR BRASS

BT BLACK TWILIGHT

CP CHAMPAGNE

DB DARK BRONZE

DG DARK GRAY

DP DUSTY PINK

FG FOREST GREEN

LG LIGHT GRAY
MG MEADOW GREEN

MK MILK

MS METALLIC SILVER

NK NICKEL

NV NAVY

OR ORANGE

PY PALE YELLOW

RD RED

RO RED ORANGE

RR RUSTY RED

SB SOFT BLUE

SD SAND

TC TERRACOTTA

TP TAUPE

TS TEXTURED SLATE

YL YELLOW

Not applicable for Wireless Charging Tray

MODEL CODE BREAKDOWN

Sample Model Code: LN6P2ABLM09

1. Series 2. Unit 3. Type 4. Application 4. Planter Height

<u>LN</u> <u>6F</u>

Series Unit
LN LUNA 6P PLANTER

2

Type 1 SINGLE

2 DOUBLE

N

ApplicationA ENCLOSEDB EXPOSED

Enclosed planters (A) are not designed to be exposed, they must be surrounded by seating units. They utilize a butt-joint construction. Exposed planters (B) can be specified in any application and use a miter-joint construction.

LB

Back Height
LB LOW BACK
HB HIGH BACK

LM09

Finish

5. Finish

LM05 DOVE GRAY LM09 BLACK

BAAA MAABILITA

LM14 WALNUT HEIGHTS

LM18 CASTLE OAK


WV46 NATURAL FLAT CUT WALNUT

WV48 NATURAL WHITE OAK

Black Laminate, LM09 is the only available planter finish for Enclosed planters.

COLORS, MATERIALS, AND FINISHES

POWDER COATED PAINTED METAL



SOLID WOOD



LAMINATE




WOOD VENEER





ELEVATED: STANDARD

							Yarda	ge Requii	rements	Textile U	pholstery	Grades												
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	М	
levated, Standard, Low Back	25-30in Wide	LN	E	11	L	25-30W x 25D x 31H	1	1.3	2.2	2,002	2,155	2,241	2,326	2,412	2,498	2,592	2,684	2,795	2,928	3,083	3,247	3,406	3,55	
	31-35in Wide	LN	E	11	L	31-35W x 25D x 31H	1.3	1.4	2.6	2,205	2,381	2,480	2,578	2,676	2,776	2,884	2,989	3,117	3,269	3,448	3,637	3,819	3,99	
	36-40in Wide	LN	E	11	L	36-40W x 25D x 31H	1.4	1.6	2.8	2,408	2,600	2,707	2,813	2,920	3,028	3,146	3,260	3,399	3,565	3,759	3,964	4,162	4,35	
	41-45in Wide	LN	E	11	L	41-45W x 25D x 31H	1.5	1.7	3.1	2,611	2,825	2,946	3,064	3,185	3,305	3,437	3,565	3,721	3,907	4,124	4,354	4,576	4,79	
	46-50in Wide	LN	E	11	L	46-50W x 25D x 31H	1.7	1.9	3.5	2,814	3,051	3,185	3,316	3,449	3,583	3,729	3,871	4,043	4,248	4,490	4,744	4,989	5,22	
	51-55in Wide	LN	E	11	L	51-55W x 25D x 31H	1.8	2	3.8	3,017	3,277	3,424	3,568	3,714	3,860	4,020	4,176	4,365	4,590	4,855	5,133	5,403	5,66	
	56-60in Wide	LN	E	11	L	56-60W x 25D x 31H	2	2.2	4.1	3,220	3,503	3,663	3,819	3,978	4,138	4,312	4,481	4,687	4,932	5,220	5,523	5,816	6,10	
evated, Standard, High Back	25-30in Wide	LN	Е	11	Н	25-30W x 25D x 38H	1	2.1	3	2,118	2,325	2,441	2,555	2,671	2,788	2,915	3,038	3,188	3,367	3,577	3,799	4,013	4,22	
	31-35in Wide	LN	Е	11	Н	31-35W x 25D x 38H	1.3	2.4	3.5	2,327	2,564	2,698	2,829	2,962	3,096	3,242	3,384	3,556	3,761	4,003	4,257	4,502	4,74	
	36-40in Wide	LN	Е	11	Н	36-40W x 25D x 38H	1.4	2.7	4	2,535	2,811	2,966	3,118	3,273	3,428	3,597	3,762	3,962	4,201	4,481	4,776	5,061	5,3	
	41-45in Wide	LN	E	11	Н	41-45W x 25D x 38H	1.5	3	4.4	2,743	3,049	3,221	3,391	3,562	3,735	3,923	4,106	4,328	4,594	4,905	5,233	5,550	5,8	
	46-50in Wide	LN	Е	11	Н	46-50W x 25D x 38H	1.7	2.7	4.3	2,952	3,250	3,418	3,583	3,751	3,919	4,103	4,281	4,498	4,756	5,060	5,380	5,689	5,98	
	51-55in Wide	LN	Е	11	Н	51-55W x 25D x 38H	1.8	3	4.7	3,160	3,481	3,662	3,840	4,020	4,201	4,399	4,591	4,825	5,103	5,430	5,774	6,107	6,42	
	56-60in Wide	LN	Е	11	Н	56-60W x 25D x 38H	2	3.2	5.1	3,368	3,720	3,918	4,113	4,310	4,509	4,725	4,936	5,191	5,496	5,854	6,231	6,596	6,94	
Order Select Below			ı		1	ı				1	-1	1				- 1	1				I			
Series/Type/Unit 2. Back	k Height	3. Width			4. Upholstery Oլ	otions 5.	Postion			6. Layout	Options		7. Leg F	inish					8. Opt	ions		9. Uŗ	pholste	



Polished Metal

YL YELLOW

AL POLISHED ALUMINUM

MS METALLIC SILVER

19

ELEVATED: ARM LEFT OR RIGHT


							Yarda	ge Requi	rements	Textile U	Ipholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Arm Left/Right, Low Back	25-30in Wide	LN	E	21/22	L	25-30W x 25D x 31H	1.3	1.4	2.6	2,474	2,650	2,749	2,847	2,945	3,045	3,153	3,258	3,386	3,538	3,717	3,906	4,088	4,265
	31-35in Wide	LN	E	21/22	L	31-35W x 25D x 31H	1.5	1.6	2.9	2,679	2,878	2,990	3,100	3,212	3,324	3,446	3,565	3,710	3,882	4,084	4,298	4,504	4,703
	36-40in Wide	LN	E	21/22	L	36-40W x 25D x 31H	1.6	1.7	3.2	2,884	3,106	3,231	3,354	3,478	3,603	3,740	3,872	4,034	4,226	4,451	4,689	4,919	5,142
	41-45in Wide	LN	E	21/22	L	41-45W x 25D x 31H	1.6	1.9	3.3	3,089	3,326	3,460	3,591	3,724	3,858	4,004	4,146	4,318	4,523	4,765	5,019	5,264	5,502
	46-50in Wide	LN	E	21/22	L	46-50W x 25D x 31H	1.7	1.9	3.5	3,294	3,524	3,653	3,780	3,909	4,038	4,179	4,317	4,483	4,682	4,915	5,161	5,399	5,629
	51-55in Wide	LN	E	21/22	L	51-55W x 25D x 31H	1.7	2	3.6	3,499	3,744	3,882	4,017	4,155	4,293	4,443	4,590	4,767	4,980	5,229	5,491	5,745	5,990
ļ	56-60in Wide	LN	E	21/22	L	56-60W x 25D x 31H	1.8	2.1	3.9	3,703	3,971	4,122	4,270	4,420	4,571	4,736	4,896	5,090	5,322	5,595	5,882	6,159	6,427
Elevated, Arm Left/Right, High Back	25-30in Wide	LN	E	21/22	Н	25-30W x 25D x 38H	1.3	1.8	3	2,675	2,882	2,998	3,112	3,228	3,345	3,472	3,595	3,745	3,924	4,134	4,356	4,570	4,777
ne ⁿ t.	31-35in Wide	LN	E	21/22	Н	31-35W x 25D x 38H	1.5	2.1	3.5	2,886	3,123	3,257	3,388	3,521	3,655	3,801	3,943	4,115	4,320	4,562	4,816	5,061	5,299
	36-40in Wide	LN	E	21/22	Н	36-40W x 25D x 38H	1.6	2.4	3.9	3,096	3,364	3,515	3,663	3,813	3,964	4,129	4,289	4,483	4,715	4,988	5,275	5,552	5,820
	41-45in Wide	LN	E	21/22	Н	41-45W x 25D x 38H	1.7	2.7	4.3	3,306	3,604	3,772	3,937	4,105	4,273	4,457	4,635	4,852	5,110	5,414	5,734	6,043	6,342
	46-50in Wide	LN	E	21/22	Н	46-50W x 25D x 38H	1.6	2.2	3.7	3,516	3,769	3,911	4,050	4,192	4,334	4,490	4,641	4,824	5,043	5,300	5,570	5,832	6,085
	51-55in Wide	LN	E	21/22	Н	51-55W x 25D x 38H	1.7	2.4	4	3,726	4,002	4,157	4,309	4,464	4,619	4,788	4,953	5,153	5,392	5,672	5,967	6,252	6,528
U	56-60in Wide	LN	E	21/22	Н	56-60W x 25D x 38H	1.8	2.6	4.3	3,936	4,234	4,402	4,567	4,735	4,903	5,087	5,265	5,482	5,740	6,044	6,364	6,673	6,972

6. Leg Finish

AL POLISHED ALUMINUM

4. Upholstery Options 5. Postion 2. Back Height 3. Length 1. Series/Type/Unit **Position Back Height Upholstery Options** Length LUNA ELEVATED FREESTANDING DUAL UPHOLSTERY HIGH BACK XX LENGTH LNE21 ARM LEFT START LOW BACK Available in 25-60" LUNA ELEVATED END LNE22 ARM RIGHT NL NO LEGS Elevated Arm Right shown






8. Upholstery

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units.

7. Options



							Yarda	ge Requi	rements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Arm Both, Low Back	30-35in Wide	LN	E	23	L	30-35W x 25D x 31H	1.7	1.9	3.5	3,103	3,340	3,474	3,605	3,738	3,872	4,018	4,160	4,332	4,537	4,779	5,033	5,278	5,516
	36-40in Wide	LN	Е	23	L	36-40W x 25D x 31H	1.8	2	3.8	3,311	3,571	3,718	3,862	4,008	4,154	4,314	4,470	4,659	4,884	5,149	5,427	5,697	5,958
	41-45in Wide	LN	E	23	L	41-45W x 25D x 31H	2	2.2	4.1	3,519	3,802	3,962	4,118	4,277	4,437	4,611	4,780	4,986	5,231	5,519	5,822	6,115	6,399
	46-50in Wide	LN	Е	23	L	46-50W x 25D x 31H	1.6	2.1	3.6	3,727	3,972	4,110	4,245	4,383	4,521	4,671	4,818	4,995	5,208	5,457	5,719	5,973	6,218
	51-55in Wide	LN	Е	23	L	51-55W x 25D x 31H	1.7	2.2	3.9	3,935	4,203	4,354	4,502	4,652	4,803	4,968	5,128	5,322	5,554	5,827	6,114	6,391	6,659
	56-60in Wide	LN	Е	23	L	56-60W x 25D x 31H	1.8	2.4	4.1	4,143	4,426	4,586	4,742	4,901	5,061	5,235	5,404	5,610	5,855	6,143	6,446	6,739	7,023
Elevated, Arm Both, High Back	30-35in Wide	LN	Е	23	Н	30-35W x 25D x 38H	1.7	2	3.7	3,390	3,643	3,785	3,924	4,066	4,208	4,364	4,515	4,698	4,917	5,174	5,444	5,706	5,959
	36-40in Wide	LN	E	23	Н	36-40W x 25D x 38H	1.8	2.2	4	3,603	3,879	4,034	4,186	4,341	4,496	4,665	4,830	5,030	5,269	5,549	5,844	6,129	6,405
	41-45in Wide	LN	Е	23	Н	41-45W x 25D x 38H	2	2.4	4.3	3,817	4,115	4,283	4,448	4,616	4,784	4,968	5,146	5,363	5,621	5,925	6,245	6,554	6,853
	46-50in Wide	LN	E	23	Н	46-50W x 25D x 38H	1.6	2.6	4	4,030	4,306	4,461	4,613	4,768	4,923	5,092	5,257	5,457	5,696	5,976	6,271	6,556	6,832
	51-55in Wide	LN	Е	23	Н	51-55W x 25D x 38H	1.7	2.8	4.3	4,244	4,542	4,710	4,875	5,043	5,211	5,395	5,573	5,790	6,048	6,352	6,672	6,981	7,280
	56-60in Wide	LN	Е	23	Н	56-60W x 25D x 38H	1.8	2.9	4.7	4,457	4,778	4,959	5,137	5,317	5,498	5,696	5,888	6,122	6,400	6,727	7,071	7,404	7,726



MK MILK

MS METALLIC SILVER

Polished Metal

AL POLISHED ALUMINUM


TS TEXTURED SLATE

YL YELLOW

Lunc

ELEVATED: ARMLESS LEFT OR RIGHT

							Yarda	ge Requi	rements	Textile U	lpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	BACK	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Armless End Left/Right, Low Back	25-30in Wide	LN	E	31/32	L	25-30W x 25D x 31H	1.3	1.3	2.5	2,119	2,288	2,382	2,475	2,570	2,665	2,768	2,869	2,991	3,137	3,308	3,489	3,663	3,832
	31-35in Wide	LN	E	31/32	L	31-35W x 25D x 31H	1.5	1.4	2.8	2,322	2,514	2,621	2,727	2,834	2,942	3,060	3,174	3,313	3,479	3,673	3,878	4,076	4,268
and the second s	36-40in Wide	LN	E	31/32	L	36-40W x 25D x 31H	1.6	1.6	3.1	2,525	2,739	2,860	2,978	3,099	3,219	3,351	3,479	3,635	3,821	4,038	4,268	4,490	4,705
	41-45in Wide	LN	E	31/32	L	41-45W x 25D x 31H	1.7	1.7	3.3	2,728	2,958	3,087	3,214	3,343	3,472	3,613	3,751	3,917	4,116	4,349	4,595	4,833	5,063
	46-50in Wide	LN	E	31/32	L	46-50W x 25D x 31H	1.7	1.9	3.5	2,931	3,168	3,302	3,433	3,566	3,700	3,846	3,988	4,160	4,365	4,607	4,861	5,106	5,344
	51-55in Wide	LN	E	31/32	L	51-55W x 25D x 31H	1.8	2	3.8	3,134	3,394	3,541	3,685	3,831	3,977	4,137	4,293	4,482	4,707	4,972	5,250	5,520	5,781
	56-60in Wide	LN	E	31/32	L	56-60W x 25D x 31H	2	2.1	4.1	3,337	3,620	3,780	3,936	4,095	4,255	4,429	4,598	4,804	5,049	5,337	5,640	5,933	6,217
Elevated, Armless End Left/Right, High	25-30in Wide	LN	Е	31/32	Н	25-30W x 25D x 38H	1.3	2.1	3.3	2,240	2,470	2,599	2,726	2,855	2,984	3,125	3,263	3,429	3,628	3,861	4,107	4,345	4,575
and the second s	31-35in Wide	LN	E	31/32	Н	31-35W x 25D x 38H	1.5	2.5	3.8	2,449	2,709	2,856	3,000	3,146	3,292	3,452	3,608	3,797	4,022	4,287	4,565	4,835	5,096
The state of the s	36-40in Wide	LN	Е	31/32	Н	36-40W x 25D x 38H	1.6	2.8	4.3	2,657	2,955	3,123	3,288	3,456	3,624	3,808	3,986	4,203	4,461	4,765	5,085	5,394	5,693
	41-45in Wide	LN	Е	31/32	Н	41-45W x 25D x 38H	1.7	3.1	4.8	2,865	3,194	3,379	3,561	3,746	3,931	4,134	4,330	4,569	4,854	5,189	5,541	5,882	6,212
	46-50in Wide	LN	E	31/32	Н	46-50W x 25D x 38H	1.7	2.7	4.2	3,074	3,365	3,528	3,689	3,852	4,016	4,195	4,369	4,580	4,832	5,128	5,439	5,741	6,032
	51-55in Wide	LN	E	31/32	Н	51-55W x 25D x 38H	1.8	2.9	4.7	3,282	3,603	3,784	3,962	4,142	4,323	4,521	4,713	4,947	5,225	5,552	5,896	6,229	6,551
	56-60in Wide	LN	E	31/32	Н	56-60W x 25D x 38H	2	3.1	5	3,490	3,834	4,028	4,219	4,412	4,606	4,818	5,024	5,274	5,572	5,922	6,291	6,648	6,993
To Order Select Below																							
1. Series/Type/Unit 2. Back Heigl	ht	3. Width			4. Upholstery O	ptions 5.	Postion			6. Layout	Options		7. Leg F	nish					8. Opt	tions		9. U _l	pholstery
									(1



22

Polished Metal

AL POLISHED ALUMINUM

ELEVATED: ROUND INSIDE CORNER

							Yardag	e Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Round Inside Corner, Low Back	25	LN	E	41	L	25W x 25D x 31H	0.8	1.7	2.4	2,238	2,399	2,489	2,578	2,668	2,759	2,858	2,954	3,071	3,210	3,373	3,545	3,712	3,873
Elevated, Round Inside Corner, High Back	25	LN	Е	41	Н	25W x 25D x 38H	0.8	2.6	3.2	2,453	2,675	2,800	2,923	3,047	3,172	3,309	3,441	3,603	3,795	4,020	4,258	4,488	4,711

To Order Select Below 1. Series/Type/Unit 2. Back Height 4. Upholstery Options 5. Postion 7. Upholstery 3. Width 6. Leg Finish **Upholstery Options Position Back Height Standard Powder Coated Metal** Width See general <u>information</u> DF DUAL UPHOLSTERY M MID HIGH BACK LNE41 25 WIDTH NK NICKEL BL BLUE <u>section</u> NO LEGS for details LOW BACK BM **BLACK MATTE** NV NAVY Luna on textile **Elevated** BR ORANGE **BRASS** OR program and **Round Inside Corner BLACK TWILIGHT** PALE YELLOW COM CP RD RED CHAMPAGNE information **RED ORANGE** DB DARK BRONZE RO DG **RUSTY RED** DARK GRAY SOFT BLUE **DUSTY PINK**

LG LIGHT GRAY

MK MILK

MG MEADOW GREEN

MS METALLIC SILVER

FG

AL POLISHED ALUMINUM

FOREST GREEN

SD

TC

SAND

TP TAUPE

YL YELLOW

TERRACOTTA

TS TEXTURED SLATE

Lunc

ELEVATED: SQUARE INSIDE CORNER

							Yardag	e Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Square Inside Corner, Low Back	25	LN	E	42	L	25W x 25D x 31H	0.8	1.7	2.4	2,208	2,369	2,459	2,548	2,638	2,729	2,828	2,924	3,041	3,180	3,343	3,515	3,682	3,843
Elevated, Square Inside Corner, High Back	25	LN	E	42	Н	25W x 25D x 38H	0.8	2.7	3.3	2,364	2,594	2,723	2,850	2,979	3,108	3,249	3,387	3,553	3,752	3,985	4,231	4,469	4,699

To Order Select Below 1. Series/Type/Unit 2. Back Height 4. Upholstery Options 5. Postion 7. Upholstery 3. Width 6. Leg Finish **Upholstery Options Position Back Height** Width **Standard Powder Coated Metal** See general <u>information</u> DF DUAL UPHOLSTERY M MID HIGH BACK LNE42 25 WIDTH BL BLUE NK NICKEL <u>section</u> NO LEGS for details LOW BACK BM **BLACK MATTE** NV NAVY Luna on textile **Elevated** BR ORANGE **BRASS** OR program and **Square Inside Corner** PALE YELLOW **BLACK TWILIGHT** COM CP RD RED CHAMPAGNE information **RED ORANGE** DB DARK BRONZE RO DG **RUSTY RED** DARK GRAY SOFT BLUE **DUSTY PINK** FG FOREST GREEN SD SAND

MK MILK

LG LIGHT GRAY

MG MEADOW GREEN

MS METALLIC SILVER

TC

TP TAUPE

YL YELLOW

TERRACOTTA

TS TEXTURED SLATE

AL POLISHED ALUMINUM

ELEVATED: ROUND OUTSIDE CORNER

							Yarda	ge Requir	ements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Elevated, Round Outside Corner, Low Back	25	LN	E	51	L	25W x 25D x 31H	1.4	0.5	1.8	1,452	1,575	1,644	1,711	1,780	1,849	1,924	1,998	2,086	2,193	2,317	2,448	2,575	2,698
Elevated, Round Outside Corner, High Back	25	LN	E	51	Н	25W x 25D x 38H	1.4	0.5	1.8	1,563	1,686	1,755	1,822	1,891	1,960	2,035	2,109	2,197	2,304	2,428	2,559	2,686	2,809

To Order Select Below 1. Series/Type/Unit 2. Back Height 3. Width 4. Upholstery Options 5. Postion 6. Leg Finish 7. Options 8. Upholstery Width **Upholstery Options Position Back Height Standard Powder Coated Metal** See general **Accessory Attachment** <u>information</u> TRAY/TABLET ARM LNE51 HIGH BACK 25 WIDTH **DUAL UPHOLSTERY** M MID BL NK NICKEL <u>section</u> BLUE T ATTACHED TO UNIT NO LEGS for details LOW BACK BM **BLACK MATTE** NV NAVY Luna on textile **Elevated** BR ORANGE **BRASS** OR Accessory attaches to right side of program and **Round Outside Corner BLACK TWILIGHT** PALE YELLOW seat unit. Trays and tablet arm seat COM mount units can only be used between CP RD RED information CHAMPAGNE units DB DARK BRONZE RO **RED ORANGE** DG **RUSTY RED** DARK GRAY SB SOFT BLUE **DUSTY PINK** FG FOREST GREEN SD SAND LG LIGHT GRAY TC

MG MEADOW GREEN

MS METALLIC SILVER

Polished Metal

AL POLISHED ALUMINUM

MK MILK

TERRACOTTA

TS TEXTURED SLATE


TP TAUPE

YL YELLOW



ELEVATED: ROUND END CAP

							Yarda	ge Requir	ements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	Е	F	G	Н	1	J	K	L	M
Elevated, Round End Cap, Low Back	50-55in Wide	LN	Е	52	L	50-55W x 25D x 31H	1.9	0.7	2.6	2,859	3,035	3,134	3,232	3,330	3,430	3,538	3,643	3,771	3,923	4,102	4,291	4,473	4,650
	56-60in Wide	LN	Е	52	L	56-60W x 25D x 31H	1.9	0.8	2.7	2,974	3,158	3,261	3,363	3,466	3,569	3,682	3,792	3,925	4,085	4,271	4,468	4,658	4,842
	61-65in Wide	LN	Е	52	L	61-65W x 25D x 31H	2	1	3	3,088	3,295	3,411	3,525	3,641	3,758	3,885	4,008	4,158	4,337	4,547	4,769	4,983	5,190
	66-70in Wide	LN	Е	52	L	66-70W x 25D x 31H	2.1	1.1	3.2	3,203	3,425	3,550	3,673	3,797	3,922	4,059	4,191	4,353	4,545	4,770	5,008	5,238	5,461
	71-75in Wide	LN	E	52	L	71-75W x 25D x 31H	2.2	1.4	3.6	3,317	3,562	3,700	3,835	3,973	4,111	4,261	4,408	4,585	4,798	5,047	5,309	5,563	5,808
Elevated, Round End Cap, High Back	50-55in Wide	LN	E	52	Н	50-55W x 25D x 38H	1.9	0.9	2.8	2,941	3,133	3,240	3,346	3,453	3,561	3,679	3,793	3,932	4,098	4,292	4,497	4,695	4,887
The second secon	56-60in Wide	LN	E	52	Н	56-60W x 25D x 38H	1.9	1	2.9	3,052	3,251	3,363	3,473	3,585	3,697	3,819	3,938	4,083	4,255	4,457	4,671	4,877	5,076
	61-65in Wide	LN	Е	52	Н	61-65W x 25D x 38H	2	1.4	3.3	3,164	3,394	3,523	3,650	3,779	3,908	4,049	4,187	4,353	4,552	4,785	5,031	5,269	5,499
	66-70in Wide	LN	Е	52	Н	66-70W x 25D x 38H	2.1	1.6	3.7	3,275	3,528	3,670	3,809	3,951	4,093	4,249	4,400	4,583	4,802	5,059	5,329	5,591	5,844
ц U	71-75in Wide	LN	E	52	Н	71-75W x 25D x 38H	2.2	1.9	4.1	3,386	3,669	3,829	3,985	4,144	4,304	4,478	4,647	4,853	5,098	5,386	5,689	5,982	6,266





							Yarda	ge Requi	rements	Textile U	Jpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	BACK	BACK/SEAT	СОМ	Α	В	С	D	E	 F	G	Н	I	J	K	L	M
Plinth, Standard, Low Back	25-30in Wide	LN	Р	11	L	25-30W x 25D x 31H	1.7	1.5	3	2,516	2,723	2,839	2,953	3,069	3,186	3,313	3,436	3,586	3,765	3,975	4,197	4,411	4,618
	31-35in Wide	LN	Р	11	L	31-35W x 25D x 31H	1.8	1.6	3.3	2,699	2,929	3,058	3,185	3,314	3,443	3,584	3,722	3,888	4,087	4,320	4,566	4,804	5,034
- The second sec	36-40in Wide	LN	Р	11	L	36-40W x 25D x 31H	1.9	1.8	3.7	2,882	3,135	3,277	3,416	3,558	3,700	3,856	4,007	4,190	4,409	4,666	4,936	5,198	5,451
	41-45in Wide	LN	Р	11	L	41-45W x 25D x 31H	2.1	1.9	4	3,065	3,341	3,496	3,648	3,803	3,958	4,127	4,292	4,492	4,731	5,011	5,306	5,591	5,867
	46-50in Wide	LN	Р	11	L	46-50W x 25D x 31H	2.2	2.1	4.2	3,248	3,539	3,702	3,863	4,026	4,190	4,369	4,543	4,754	5,006	5,302	5,613	5,915	6,206
	51-55in Wide	LN	Р	11	L	51-55W x 25D x 31H	2.5	2.2	4.6	3,431	3,745	3,921	4,095	4,271	4,448	4,641	4,828	5,056	5,328	5,647	5,983	6,308	6,622
	56-60in Wide	LN	Р	11	L	56-60W x 25D x 31H	2.6	2.5	4.9	3,614	3,951	4,140	4,326	4,515	4,705	4,912	5,113	5,358	5,650	5,992	6,353	6,701	7,039
Plinth, Standard, High Back	25-30in Wide	LN	Р	11	Н	25-30W x 25D x 38H	1.7	2.4	3.9	2,660	2,928	3,079	3,227	3,377	3,528	3,693	3,853	4,047	4,279	4,552	4,839	5,116	5,384
and the second s	31-35in Wide	LN	Р	11	Н	31-35W x 25D x 38H	1.8	2.7	4.3	2,890	3,188	3,356	3,521	3,689	3,857	4,041	4,219	4,436	4,694	4,998	5,318	5,627	5,926
	36-40in Wide	LN	Р	11	Н	36-40W x 25D x 38H	1.9	3	4.9	3,120	3,457	3,646	3,832	4,021	4,211	4,418	4,619	4,864	5,156	5,498	5,859	6,207	6,545
	41-45in Wide	LN	P	11	Н	41-45W x 25D x 38H	2.1	3.2	5.3	3,350	3,717	3,924	4,127	4,333	4,540	4,766	4,986	5,252	5,571	5,944	6,338	6,718	7,086
	46-50in Wide	LN	Р	11	Н	46-50W x 25D x 38H	2.2	2.9	5.1	3,580	3,932	4,130	4,325	4,522	4,721	4,937	5,148	5,403	5,708	6,066	6,443	6,808	7,161
	51-55in Wide	LN	Р	11	Н	51-55W x 25D x 38H	2.5	3.1	5.5	3,810	4,193	4,408	4,619	4,834	5,050	5,285	5,514	5,792	6,123	6,512	6,922	7,318	7,702
	56-60in Wide	LN	Р	11	Н	56-60W x 25D x 38H	2.6	3.3	5.9	4,039	4,444	4,673	4,897	5,125	5,353	5,602	5,845	6,140	6,491	6,903	7,338	7,758	8,164

To Order Select Below 4. Upholstery Options 5. Postion 2. Back Height 3. Length 1. Series/Type/Unit 6. Layout Options 8. Options 9. Upholstery 7. Plinth Finish **Upholstery Options Position Back Height Layout Options Plinth Finish** Length **Power Options** See <u>general</u> <u>information</u> DF DUAL UPHOLSTERY FREESTANDING HIGH BACK XX LENGTH See <u>flush mount power</u> LNP11 LM05 DOVE GRAY BACK-TO-BACK <u>section</u> ordering options and START for details LOW BACK LM09 BLACK Luna Available in 25-60" Back-to-back not available on <u>rules.</u> on textile Plinth MID LM14 WALNUT HEIGHTS mid units. program and Standard END LM18 CASTLE OAK COM **Accessory Attachment** information TRAY/TABLET ARM

ATTACHED TO UNIT

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units

PLINTH: ARM LEFT OR RIGHT

							Yarda	ge Requi	rements	Textile l	Jpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	1	J	K	L	M
Plinth, Arm Left/Right, Low Back	25-30in Wide	LN	Р	21/22	L	25-30W x 25D x 31H	1.5	1.6	3	3,090	3,297	3,413	3,527	3,643	3,760	3,887	4,010	4,160	4,339	4,549	4,771	4,985	5,192
	31-35in Wide	LN	Р	21/22	L	31-35W x 25D x 31H	1.7	1.8	3.3	3,276	3,506	3,635	3,762	3,891	4,020	4,161	4,299	4,465	4,664	4,897	5,143	5,381	5,611
**************************************	36-40in Wide	LN	Р	21/22	L	36-40W x 25D x 31H	1.8	1.9	3.7	3,461	3,714	3,856	3,995	4,137	4,279	4,435	4,586	4,769	4,988	5,245	5,515	5,777	6,030
	41-45in Wide	LN	Р	21/22	L	41-45W x 25D x 31H	1.9	2.1	4	3,646	3,922	4,077	4,229	4,384	4,539	4,708	4,873	5,073	5,312	5,592	5,887	6,172	6,448
	46-50in Wide	LN	Р	21/22	L	46-50W x 25D x 31H	2	2.2	4.1	3,831	4,114	4,274	4,430	4,589	4,749	4,923	5,092	5,298	5,543	5,831	6,134	6,427	6,711
	51-55in Wide	LN	Р	21/22	L	51-55W x 25D x 31H	2.1	2.4	4.4	4,016	4,322	4,494	4,664	4,835	5,008	5,196	5,379	5,601	5,867	6,178	6,506	6,823	7,130
	56-60in Wide	LN	Р	21/22	L	56-60W x 25D x 31H	2.2	2.5	4.7	4,201	4,522	4,703	4,881	5,061	5,242	5,440	5,632	5,866	6,144	6,471	6,815	7,148	7,470
Plinth, Arm Left/Right, High Back	25-30in Wide	LN	Р	21/22	Н	25-30W x 25D x 38H	1.5	2.4	3.7	3,324	3,577	3,719	3,858	4,000	4,142	4,298	4,449	4,632	4,851	5,108	5,378	5,640	5,893
	31-35in Wide	LN	Р	21/22	Н	31-35W x 25D x 38H	1.7	2.6	4.1	3,555	3,838	3,998	4,154	4,313	4,473	4,647	4,816	5,022	5,267	5,555	5,858	6,151	6,435
	36-40in Wide	LN	Р	21/22	Н	36-40W x 25D x 38H	1.8	2.9	4.6	3,786	4,100	4,276	4,450	4,626	4,803	4,996	5,183	5,411	5,683	6,002	6,338	6,663	6,977
	41-45in Wide	LN	Р	21/22	Н	41-45W x 25D x 38H	1.9	3.2	5.1	4,017	4,369	4,567	4,762	4,959	5,158	5,374	5,585	5,840	6,145	6,503	6,880	7,245	7,598
	46-50in Wide	LN	P	21/22	Н	46-50W x 25D x 38H	2	3.2	5.2	4,248	4,608	4,810	5,009	5,211	5,413	5,634	5,850	6,111	6,422	6,788	7,173	7,546	7,906
	51-55in Wide	LN	Р	21/22	Н	51-55W x 25D x 38H	2.1	3.6	5.5	4,479	4,862	5,077	5,288	5,503	5,719	5,954	6,183	6,461	6,792	7,181	7,591	7,987	8,371
	56-60in Wide	LN	Р	21/22	Н	56-60W x 25D x 38H	2.2	3.8	6	4,710	5,123	5,356	5,584	5,816	6,049	6,303	6,550	6,850	7,208	7,628	8,071	8,499	8,913

1. Series/Type/Unit

To Order Select Below

Back Height LUNA PLINTH HIGH BACK

2. Back Height

LNP21 ARM LEFT LOW BACK LUNA PLINTH LNP22 ARM RIGHT

Plinth Arm Right shown

3. Length Length

Available in 25-60"

XX LENGTH

Upholstery Options DF DUAL UPHOLSTERY

4. Upholstery Options

5. Postion **Position** FREESTANDING

START END

Layout Options

6. Layout Options

BACK-TO-BACK Back-to-back not available on

mid units.

7. Plinth Finish

Plinth Finish

LM05 DOVE GRAY

LM18 CASTLE OAK

LM09 BLACK LM14 WALNUT HEIGHTS

Accessory Attachment

ATTACHED TO UNIT

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Arm Right Units

Power Options

See <u>flush mount power</u> ordering options and <u>rules.</u>

8. Options

TRAY/TABLET ARM


See general <u>information</u> <u>section</u> for details on textile program and COM

information

9. Upholstery



							Yardaç	ge Requii	rements	Textile U	Ipholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	A	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Arm Both, Low Back	30-35in Wide	LN	Р	23	L	30-35W x 25D x 31H	1.4	2	3.2	3,957	4,179	4,304	4,427	4,551	4,676	4,813	4,945	5,107	5,299	5,524	5,762	5,992	6,215
	36-40in Wide	LN	Р	23	L	36-40W x 25D x 31H	1.5	2.1	3.5	4,147	4,384	4,518	4,649	4,782	4,916	5,062	5,204	5,376	5,581	5,823	6,077	6,322	6,560
	41-45in Wide	LN	Р	23	L	41-45W x 25D x 31H	1.6	2.4	3.8	4,336	4,596	4,743	4,887	5,033	5,179	5,339	5,495	5,684	5,909	6,174	6,452	6,722	6,983
	46-50in Wide	LN	Р	23	L	46-50W x 25D x 31H	1.7	2.5	4.1	4,526	4,809	4,969	5,125	5,284	5,444	5,618	5,787	5,993	6,238	6,526	6,829	7,122	7,406
	51-55in Wide	LN	Р	23	L	51-55W x 25D x 31H	1.8	2.6	4.3	4,716	5,014	5,182	5,347	5,515	5,683	5,867	6,045	6,262	6,520	6,824	7,144	7,453	7,752
	56-60in Wide	LN	Р	23	L	56-60W x 25D x 31H	2	2.8	4.7	4,905	5,226	5,407	5,585	5,765	5,946	6,144	6,336	6,570	6,848	7,175	7,519	7,852	8,174
Plinth, Arm Both, High Back	30-35in Wide	LN	Р	23	Н	30-35W x 25D x 38H	1.4	2.8	4	4,284	4,560	4,715	4,867	5,022	5,177	5,346	5,511	5,711	5,950	6,230	6,525	6,810	7,086
	36-40in Wide	LN	Р	23	Н	36-40W x 25D x 38H	1.5	3	4.3	4,484	4,782	4,950	5,115	5,283	5,451	5,635	5,813	6,030	6,288	6,592	6,912	7,221	7,520
	41-45in Wide	LN	Р	23	Н	41-45W x 25D x 38H	1.6	3.2	4.7	4,684	5,005	5,186	5,364	5,544	5,725	5,923	6,115	6,349	6,627	6,954	7,298	7,631	7,953
	46-50in Wide	LN	Р	23	Н	46-50W x 25D x 38H	1.7	3.6	5.1	4,884	5,236	5,434	5,629	5,826	6,025	6,241	6,452	6,707	7,012	7,370	7,747	8,112	8,465
	51-55in Wide	LN	Р	23	Н	51-55W x 25D x 38H	1.8	3.8	5.5	5,084	5,467	5,682	5,893	6,108	6,324	6,559	6,788	7,066	7,397	7,786	8,196	8,592	8,976
	56-60in Wide	LN	Р	23	Н	56-60W x 25D x 38H	2	4	5.9	5,284	5,689	5,918	6,142	6,370	6,598	6,847	7,090	7,385	7,736	8,148	8,583	9,003	9,409



PLINTH: ARMLESS LEFT OR RIGHT

							Yarda	ge Requir	ements	Textile l	Jpholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	1	J	K	L	M
Plinth, Armless End Left/Right, Low Back	25-30in Wide	LN	Р	31/32	L	25-30W x 25D x 31H	1.6	1.3	2.8	2,626	2,818	2,925	3,031	3,138	3,246	3,364	3,478	3,617	3,783	3,977	4,182	4,380	4,572
	31-35in Wide	LN	Р	31/32	L	31-35W x 25D x 31H	1.8	1.5	3.1	2,844	3,058	3,179	3,297	3,418	3,538	3,670	3,798	3,954	4,140	4,357	4,587	4,809	5,024
and the second s	36-40in Wide	LN	Р	31/32	L	36-40W x 25D x 31H	1.9	1.6	3.5	3,061	3,298	3,432	3,563	3,696	3,830	3,976	4,118	4,290	4,495	4,737	4,991	5,236	5,474
	41-45in Wide	LN	Р	31/32	L	41-45W x 25D x 31H	2.1	1.7	3.8	3,278	3,538	3,685	3,829	3,975	4,121	4,281	4,437	4,626	4,851	5,116	5,394	5,664	5,925
	46-50in Wide	LN	Р	31/32	L	46-50W x 25D x 31H	2.2	1.9	4	3,495	3,771	3,926	4,078	4,233	4,388	4,557	4,722	4,922	5,161	5,441	5,736	6,021	6,297
	51-55in Wide	LN	Р	31/32	L	51-55W x 25D x 31H	2.4	2	4.3	3,712	4,010	4,178	4,343	4,511	4,679	4,863	5,041	5,258	5,516	5,820	6,140	6,449	6,748
	56-60in Wide	LN	Р	31/32	L	56-60W x 25D x 31H	2.6	2.2	4.7	3,929	4,250	4,431	4,609	4,789	4,970	5,168	5,360	5,594	5,872	6,199	6,543	6,876	7,198
Plinth, Armless End Left/Right, High Back	25-30in Wide	LN	Р	31/32	Н	25-30W x 25D x 38H	1.6	2.4	3.8	2,779	3,039	3,186	3,330	3,476	3,622	3,782	3,938	4,127	4,352	4,617	4,895	5,165	5,426
m	31-35in Wide	LN	Р	31/32	Н	31-35W x 25D x 38H	1.8	2.6	4.3	3,009	3,307	3,475	3,640	3,808	3,976	4,160	4,338	4,555	4,813	5,117	5,437	5,746	6,045
and the second s	36-40in Wide	LN	Р	31/32	Н	36-40W x 25D x 38H	1.9	2.9	4.8	3,239	3,568	3,753	3,935	4,120	4,305	4,508	4,704	4,943	5,228	5,563	5,915	6,256	6,586
	41-45in Wide	LN	Р	31/32	Н	41-45W x 25D x 38H	2.1	3.2	5.2	3,469	3,829	4,031	4,230	4,432	4,634	4,855	5,071	5,332	5,643	6,009	6,394	6,767	7,127
	46-50in Wide	LN	P	31/32	Н	46-50W x 25D x 38H	2.2	2.8	5	3,699	4,043	4,237	4,428	4,621	4,815	5,027	5,233	5,483	5,781	6,131	6,500	6,857	7,202
	51-55in Wide	LN	Р	31/32	Н	51-55W x 25D x 38H	2.4	3	5.3	3,929	4,296	4,503	4,706	4,912	5,119	5,345	5,565	5,831	6,150	6,523	6,917	7,297	7,665
	56-60in Wide	LN	Р	31/32	Н	56-60W x 25D x 38H	2.6	3.2	5.8	4,159	4,557	4,781	5,001	5,224	5,448	5,693	5,931	6,220	6,565	6,969	7,396	7,808	8,207

3. Width 2. Back Height 1. Series/Type/Unit **Back Height**

HIGH BACK

LOW BACK

LUNA PLINTH LNP31 ARMLESS LEFT LUNA PLINTH LNEP2 ARMLESS RIGHT

To Order Select Below

Plinth Armless Right shown

4. Upholstery Options Width XX WIDTH

Available in 25-60"

Upholstery Options DF DUAL UPHOLSTERY

Position FREESTANDING START END

5. Postion

Layout Options BACK-TO-BACK Back-to-back not available on

mid units.

6. Layout Options

Plinth Finish LM05 DOVE GRAY LM09 BLACK LM14 WALNUT HEIGHTS LM18 CASTLE OAK

7. Plinth Finish

8. Options

<u>rules.</u>

Power Options See <u>flush mount power</u> ordering options and

> **Accessory Attachment** TRAY/TABLET ARM

Accessory attaches to right side of seat unit. Trays and tablet arm seat mount units can only be used between units. Not available on Armless Right Units


ATTACHED TO UNIT

9. Upholstery

See general <u>information</u> <u>section</u> for details on textile program and COM information

PLINTH: ROUND INSIDE CORNER


							Yardag	ge Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	COM	Α	В	С	D	E	F	G	Н	ı	J	K	L	M
Plinth, Round Inside Corner, Low Back	25	LN	Р	41	L	25W x 25D x 31H	1.3	2	3.2	2,695	2,917	3,042	3,165	3,289	3,414	3,551	3,683	3,845	4,037	4,262	4,500	4,730	4,953
Plinth, Round Inside Corner, High Back	25	LN	Р	41	Н	25W x 25D x 38H	1.3	2.8	4	3,084	3,360	3,515	3,667	3,822	3,977	4,146	4,311	4,511	4,750	5,030	5,325	5,610	5,886





PLINTH: SQUARE INSIDE CORNER


							Yardag	je Requir	rements	Textile U	Jpholstery	Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Square Inside Corner, Low Back	25	LN	Р	42	L	25W x 25D x 31H	1.3	2.1	3.2	2,763	2,985	3,110	3,233	3,357	3,482	3,619	3,751	3,913	4,105	4,330	4,568	4,798	5,021
Plinth, Square Inside Corner, High Back	25	LN	Р	42	Н	25W x 25D x 38H	1.3	2.8	4	2,936	3,212	3,367	3,519	3,674	3,829	3,998	4,163	4,363	4,602	4,882	5,177	5,462	5,738





PLINTH: ROUND OUTSIDE CORNER


							Yardaç	ge Requir	ements	Textile U	Jpholstery	/ Grades											
	WIDTH	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Round Outside Corner, Low Back	25	LN	Р	51	L	25W x 25D x 31H	1.9	0.5	2.4	1,977	2,138	2,228	2,317	2,407	2,498	2,597	2,693	2,810	2,949	3,112	3,284	3,451	3,612
Plinth, Round Outside Corner, High Back	25	LN	Р	51	Н	25W x 25D x 38H	1.9	0.8	2.6	2,111	2,287	2,386	2,484	2,582	2,682	2,790	2,895	3,023	3,175	3,354	3,543	3,725	3,902





PLINTH: ROUND END CAP

							Yarda	ge Requi	rements	Textile U	pholstery	Grades											
	WIDTHS	SERIES	TYPE	UNIT	BACK HEIGHT	DIMENSIONS	SEAT	ВАСК	BACK/SEAT	СОМ	Α	В	С	D	E	F	G	Н	I	J	K	L	M
Plinth, Round End Cap, Low Back	50-55in Wide	LN	Р	52	L	50-55W x 25D x 31H	2.8	0.8	3.6	3,356	3,601	3,739	3,874	4,012	4,150	4,300	4,447	4,624	4,837	5,086	5,348	5,602	5,847
	56-60in Wide	LN	Р	52	L	56-60W x 25D x 31H	3	1	3.9	3,540	3,808	3,959	4,107	4,257	4,408	4,573	4,733	4,927	5,159	5,432	5,719	5,996	6,264
	61-65in Wide	LN	Р	52	L	61-65W x 25D x 31H	3	1.1	4.1	3,724	4,007	4,167	4,323	4,482	4,642	4,816	4,985	5,191	5,436	5,724	6,027	6,320	6,604
	66-70in Wide	LN	Р	52	L	66-70W x 25D x 31H	3	1.4	4.2	3,908	4,199	4,362	4,523	4,686	4,850	5,029	5,203	5,414	5,666	5,962	6,273	6,575	6,866
	71-75in Wide	LN	Р	52	L	71-75W x 25D x 31H	3	1.5	4.4	4,092	4,398	4,570	4,740	4,911	5,084	5,272	5,455	5,677	5,943	6,254	6,582	6,899	7,206
Plinth, Round End Cap, High Back	50-55in Wide	LN	Р	52	Н	50-55W x 25D x 38H	2.8	1.1	3.9	3,487	3,755	3,906	4,054	4,204	4,355	4,520	4,680	4,874	5,106	5,379	5,666	5,943	6,211
	56-60in Wide	LN	Р	52	Н	56-60W x 25D x 38H	3	1.4	4.2	3,674	3,965	4,128	4,289	4,452	4,616	4,795	4,969	5,180	5,432	5,728	6,039	6,341	6,632
	61-65in Wide	LN	Р	52	н	61-65W x 25D x 38H	3	1.6	4.6	3,860	4,174	4,350	4,524	4,700	4,877	5,070	5,257	5,485	5,757	6,076	6,412	6,737	7,051
	66-70in Wide	LN	Р	52	Н	66-70W x 25D x 38H	3	1.8	4.8	4,047	4,376	4,561	4,743	4,928	5,113	5,316	5,512	5,751	6,036	6,371	6,723	7,064	7,394
	71-75in Wide	LN	Р	52	Н	71-75W x 25D x 38H	3.1	2.1	5.1	4,233	4,585	4,783	4,978	5,175	5,374	5,590	5,801	6,056	6,361	6,719	7,096	7,461	7,814



TRAY TABLE: ROUND OR WIRELESS CHARGING

	SERIES	TYPE	DIMENSIONS	PRICE
Tray Table, Round Tray Table	LN	71	13W x 13D	503
Tray Table, Wireless Charging Tray	LN	72	8W x 13D	840

1. Series/Type 2. Top Finish 3. Finish Wood Flnish Standard Powder Coated Metal

ROUND TRAY
LN71 TABLE

WIRELESS
CHARGING
LN72 TRAY

SW81 WHITE OAK

SW83 MAPLE

SW85 WALNUT +70

SW87 OPAQUE BLACK

Only applicable for Wireless Charging Tray

_			
BL	BLUE	NK	NICKEL
ВМ	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
ВТ	BLACK TWILIGHT	PY	PALE YELLOW
СР	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

Only applicable for Round Tray Table



	SERIES	TYPE	DIMENSIONS	PRICE
Tray Table, Tablet Arm, Under Single	LN	75	14W x 14D	800
Tray Table, Tablet Arm, Under Dual	LN	76	14W x 14D	800



SD

FG FOREST GREEN

MG MEADOW GREEN

MS METALLIC SILVER

LG LIGHT GRAY

MK MILK

SAND

TC TERRACOTTA

TS TEXTURED SLATE

TP TAUPE

YL YELLOW



SER	RIES	TYPE	DIMENSIONS	PRICE
Tray Table, Tablet Arm, Seat Single		77	14W x 14D	800
Tray Table, Tablet Arm, Seat Dual		78	14W x 14D	800

1. Series/Type 2. Top Finish 3. Finish **Wood Finish Standard Powder Coated Metal** SEAT MOUNT SW81 WHITE OAK BL BLUE NK NICKEL LN77 SINGLE SWIVEL SW83 MAPLE BM BLACK MATTE NV NAVY SEAT MOUNT +70 SW85 WALNUT BRASS ORANGE LN78 DUAL SWIVEL SW87 OPAQUE BLACK PY **BLACK TWILIGHT** PALE YELLOW RD CHAMPAGNE RED DARK BRONZE RED ORANGE DG DARK GRAY **RUSTY RED** DP DUSTY PINK SB SOFT BLUE

SD

FG FOREST GREEN

MG MEADOW GREEN

MS METALLIC SILVER

LG LIGHT GRAY

MK MILK

SAND

TC TERRACOTTA

TS TEXTURED SLATE

TP TAUPE

YL YELLOW



	SER	IES TYP	E HEIGHT	DIMENSIONS	PRICE
Planter, Enclosed, Single, Low Back	LNP			15W x 15D x 31H	1,680
Planter, Enclosed, Single, High Back	LNP	6P1	А НВ	15W x 15D x 38H	1,919
Planter, Enclosed, Double, Low Back	LNP	6P2	A LB	15W x 30D x 31H	2,426
Planter, Enclosed, Double, High Back	LNP	6P2	А НВ	15W x 30D x 38H	2,745

To Order Select Below

DOUBLE

LNP6P2A ENCLOSED





	SERIES	TYPE	HEIGHT	DIMENSIONS	LAMINATE	WOOD VENEER
Planter, Exposed, Single, Low Back	LNP	6P1B	LB	15W x 15D x 31H	2039	4,028
Planter, Exposed, Single, High Back	LNP	6P1B	НВ	15W x 15D x 38H	2285	4,407
Planter, Exposed, Double, Low Back	LNP	6P2B	LB	15W x 30D x 31H	3278	5,027
Planter, Exposed, Double, High Back	LNP	6P2B	НВ	15W x 30D x 38H	3597	5,393

